file

| | , | | | | | 05 15 | |
|--|--------------------------------------|---|----------------|---|------------------|---|--|
| SEPA | | AL HAZARDOUS VINSPECTION RE | | | 6 001 | NUMBER (10 00 001417 17 Hg) (10020 | |
| GENERAL INSTRUCTIONS: Of tion on this form to develop a 7 File. Be sure to include all aptection Agency; Site Tracking | Pentative Dispos propriate Supple | sition (Section II). mental Reports in | File this form | in its entirety in nit a copy of the f | the regional H | ezardous Waste Log Environmental Pro- | |
| | | I. SITE IDEN | TIFICATION | | | | |
| United States Gypsum | n Company | | 1100 Har | . ⁻ | | | |
| Corsicana G. SITE OPERATOR INFORMATIO | · · · · · · | | TX | 75110 | Navarro | - | |
| 1. NAME | | | • | | 1 2. TELEPHO | NE NUMBER | |
| R.J. Skewes, Works N | lan <u>ag</u> er | 4. 6174 | _ _ · _ | | 214-874 | -4781 | |
| 1100 Hardy Ave. | N (il ailterent lro | Corsica | na | | l _{TX} | 75110 | |
| 1. NAME United States Gypsum | ř | ./. | | | 312-321- | 3769 | |
| Chicago | | | | | 4.37A7E | S. ZIA CODE. | |
| I. SITE DESCRIPTION NO | nited Stat | es Gypsum Fa | acility i | n Corsicana | TX is a | manufacturer | |
| wool insulation. Th | e site is | on a 44 acr | e tract o | f land cons | <u>isting (s</u> | ee attachment | |
| J. TYPE OF OWNERSHIP 1. FEDERAL 2. S | TATE | . COUNTY 🔲 | 4. MUNICIPAL | 💢 S. PRIVA | TE ' | | |
| | II. TENTA | TIVE DISPOSITIO | N (complete th | is section last) | · · · | | |
| A. ESTIMATE DATE OF TENTAT DISPOSITION (mo., day, & ym.) | 1 · <u></u> | RENT SERIOUSNES | Z MEDIUM | □Z 3. LOW | 4_ NOP | IE · | |
| C. PREPARER INFORMATION 1. NAME: Richard T. Wigal, Jr | Wrogol f | | 214-74 | | 3. DATE (500 | | |
| A. PRINCIPAL INSPECTOR INFO | RMATION | IIL INSPECTION | TINFORMATI | UN | | | |
| r NAME Richard T. Wigal, Jr | <u></u> | | FIT Envi | ronmental <u>S</u> e | cie <u>ntist</u> | NE NO. (erea code & no.) | |
| Ecology And Environm | ent. Inc. | 1509 Main. [| Dallas. I | X 75201 | 214-74 | • | |
| 1. NAME | -1 | 2. ORGA | NIZATION | · · · · · · · · · · · · · · · · · · · | 3. TELEPHONE NO. | | |
| Phil Watts | Ecolo | | onment; | Inc. | 214-742- | 6601 | |
| | | | | | | | |
| | | | | · . | | | |
| C. SITE REPRESENTATIVES INT | | Prete officials, works | | 3 | . ADDRESS | | |
| R.J. Skewes | Works 214 87 | Manager | 1100 Cors | Hardy Ave. | 75110 | | |
| | 11.07 | . 1/01 | | | | | |
| | | | | - | - | | |
| | | | | | 9419 | 733 | |
| | | | | | | | |
| | | | | | | 11 18660 11 186 1841 1861 | |

Continued From Front III. INSPECTION INFORMATION (continued) D. SENERATOR INFORMATION (sources of weste) I. NAME 1. TELEPHONE NO. 3. ADDRESS 14- HASTE TYPE SENERATES United States Shot, and off 1100 Hardy Aye. Corsicana. TX 214-874-4781 Gypsum Company specification mineral E. TRANSPORTER/HAULER INFORMATION 2. TELEPHONE HO. 4. WASTE TYPE TRANSPORTED 1. ADDRESS 1100 Hardy Ave. SKIOS, Paper, United States and plant trash. Gypsum Company 214-874-4781 Corsicana, TX F. IF WASTE IS PROCESSED ON SITE AND ALSO SHIPPED TO OTHER SITES, IDENTIFY OFF-SITE FACILITIES USED FOR DISPOSAL. Z. TELEPHONE NO. N/A H. TIME OF INSPECTION I. ACCESS GAINED BY: (credentials must be shown in all cases) ☐ 1. PERMISSION ☐ 2. WARRANT 1030 WEATHER (describe) Cloudy, Temperature 880, winds 5-10 mph from the west. IV. SAMPLING INFORMATION A. Mark 'X' for the types of samples taken and indicate where they have been sent e.g., regional lab, other EPA lab, contractor, etc. and estimate when the results will be available. 1. SAMPLE TYPE TAKEN SISAMPLE SENT TO: 4. DATE RESULTS_ (mark 'X') S. CHOUNDWATER S. SURFACE WATER C. WASTE d. AIR . RUNOFF L SPILL Organics: Inorganics: 8-15-83 g. soil West coast technical service Rocky Mountain analytical 5530 Marshall ST. 17605 Fabrica way, suite D h. VEGETATION Cerritos, CA 90701 Arvada, Co. 80002 i. OTHER(specify) B. FIELD MEASUREMENTS TAKEN (*.4., radioactivity, explosivity, PH, etc.) 1. RESULTS 2. LOCATION OF MEASUREMENTS 1. TYPE

None

| Continued From Page 2 | | | | | |
|--|---------------------------------------|--------------------|-------------------------------------|------|---------------------------------------|
| | IV. SAM | PLING INFORM | ATION (continued) | | |
| C. PHOTOS | | 1 2. PHOTOS IN C | | | |
| i ' | | i | · · · · · | | |
| | AERIAL | I EPA Kegio | on VI (attached) | | |
| D. SITE MAPPEDI | · · · · · · · · · · · · · · · · · · · | · . | | | |
| X YES, SPECIFY LOCATION | ON OF MAPS: EPA | Region VI (| (attached) | | |
| E. COORCINATES | | | | | |
| 1. LATITUDE (degminsec.) | | | 2. LONGITUDE (degminsec.) | | |
| 32 ⁰ 07'22" N | | | 96 ⁰ 28'09" W | | |
| | | V. SITE INFOR | MATION | | |
| A. SITE STATUS | | | | | · |
| Those inductrial numbers of the second of th | | VE (Those | (Those sites that include such inc | | eta lika ilmidnichi compinati |
| for weste treement, storage, of | r disposal wastes.) | - 1 | where no regular or continuing use | of | the site for waste disposal |
| on a continuing besis, even.if : quently.) | intro- | ****** | hearoccured), | ٠. | · · · · · · · · · · · · · · · · · · · |
| | | | | | · · · · · · · · · · · · · · · · · · · |
| B. IS GENERATOR ON SITE! | | | 2206 | | |
| I. NO XI Z. YES | S(specify generator's lour | digit SIC Code): | 3296 | | |
| C. AREA OF SITE (in ecres) | D. ARE THER | E BUILDINGS ON | THE SITET . | | |
| 44 total site | ☐ 1. NO | ∑ YES(spe | em Manufacturing fo | ጉ | ility, with offices |
| 10 - landfill area | a | | and storage area | | |
| | VI. CHAR | ACTERIZATION | OF SITE ACTIVITY | دع | |
| Indicate the major site activi | | | vity by marking 'X' in the appro | рri | ate boxes. |
| A. TRANSPORTER | B. STO | RER | C. TREATER | × | D. DISPOSER |
| 1. RAIL | 1.PILE | | 1. FILTRATION | İχ | T. LANDFILL |
| 2. SHIP | 2. SURFACE IMP | OUNDMENT | 2. INCINERATION | Ϋ́ | 2. LANDFARM |
| 1. SARGE | 3. DRUMS | <u>-</u> | 3. VOLUME REDUCTION | Ì | 3. OPEN DUMP |
| Y 4. TRUCK | 4. TANK, ABOVE | GROUND | 4. RECYCLING/RECOVERY | H | 4. SURFACE IMPOUNDMENT. |
| S. PIPELINE | S. TANK, BELOW | GROUND V | S. CHEM/PHYS/TREATMENT | Ť | S. MIDNIGHT DUMPING |
| 6.OTHER(specily): | e. OTHER (specif | rj: | 6. BIOLOGICAL TREATMENT | T | S. INCINERATION |
| | | • [| 7. WASTE OIL REPROCESSING | İ | 7. UNDERGROUND INJECTION |
| • • • | · | <u> </u> | B. SOLVENT RECOVERY | Ť | 6. O THER(specily): |
| | | <u> </u> | 9. OTHER(specity): | İ | • |
| | | <u> </u> | 4 | 1 | |
| | | · · · . | | | . • |
| | | . } | • | 1 | |
| • | | • | • | 1 | |
| E. SUPPLEMENTAL REPORTS: which Supplemental Reports y | | | s listed below, Supplemental Report | rts | must be completed. indicate |
| 1. STORAGE | 2. INCINERATION | X 3. LANDFILL | SURFACE IMPOUNDMENT |] 5. | DEEP WELL |
| 6. CHEMMIN TO THE TO TH | 7. LANOFARM | B. OPEN DUMI | |] 11 | D. RECYCLOR/RECLAIMER |
| X FEIGURE | | ASTE RELATED | INFORMATION | _ | |
| A. HASTE TYPE | V 11. N | | , in ormation | | |
| | X 2 SOLID | 🔲 3. SLUOGE | 4. GAS | | · |
| B. WASTE CHARACTERISTICS | | | | _ | |
| 1. CORROSIVE | _ Z IGNITABLE | 3. RADIOACT | IVE 🗔 4. HIGHLY VOLATILE | | |
| X s. TOXIC | | 7. INERT | B. FLAMMABLE | | |
| - بعد ∹ | ··- | | | | |
| 9. OTHER/specifys: | | | | | |
| C. MASTE CATEGORIES 1. Are records of wastes evails | ble? Specify items such | e manifesta, inven | tones, etc. below. | | |
| Yes amounts report | | | | | |
| ies, amounis renort | - cr rer floots | | | | |

| Cantinue | # F FOR | |
|----------|---------|--|

| NONE | MEASUR (|
|--|-------------|
| None None None None 35 Unkn INTO OF MEASURE UNIT OF MEASURE U | MEASUR (|
| tons/day tons/d | |
| 122 SLUGGES 123 OTHER(specify): 124 NON-MALOGNTO. 125 POTW 125 SLUGGES 127 OTHER(specify): 128 NON-MALOGNTO. 129 OTHER(specify): 120 OTHER(specify): | |
| 13) OTHER (specify): 14) PESTICIDES 15) OTHER (specify): 14) PESTICIDES 15) OTHER (specify): 15) OTHER (specify): 15) OTHER (specify): 15) OTHER (specify): 15) OTHER (specify): 15) OTHER (specify): 15) OTHER (specify): 15) OTHER (specify): 15) OTHER (specify): 15) OTHER (specify): 16) OTHER (specify): 17) OTHER (specify): 17) OTHER (specify): 17) OTHER (specify): 17) OTHER (s | BORATOR |
| Arsenic X X PERFOLES (STRATEST CONCERN WHICH ARE ON THE SITE (place in descending order of hezerd) 1. SUBSTANCE (PORT) 1. SUBSTANCE (| PITAL |
| 13) DYES/INKS 13) DYES/INKS 13) DYES/INKS 13) DYES/INKS 13) DYES/INKS 14) CYANIDE 15) OTHER(specify): Shot and off Spec. 17) PHENOLS 19) PCB 19) PCB 1101 METALS 11 | 010 A C 71V |
| Shot and off (7) PHENOLS (8) OTHER(specify): Shot and off (7) PHENOLS (8) PCB (8) HALOGENS (8) HALOGENS (8) HALOGENS (8) HALOGENS (8) HALOGENS (8) HALOGENS (8) HALOGENS (8) HALOGENS (8) HALOGENS (8) HALOGENS (8) HALOGENS (8) HALOGENS (8) OTHER(specify): Shot and off Spec. (8) HALOGENS (10) METALS (11) OTHER(specify) (7) METALS (7) (7) METALS (7) (8) OTHER(specify): Shot and off (8) HALOGENS (8) HALOGENS (8) HALOGENS (8) HALOGENS (8) HALOGENS (8) HALOGENS (8) HALOGENS (8) HALOGENS (8) HALOGENS (8) HALOGENS (8) HALOGENS (8) HALOGENS (8) HALOGENS (9) HALOGENS (9) HALOGENS (10) HALOGENS (11) OTHER(specify) (11) OTHER(specify) (12) HALOGENS (13) MLTC. WASTES (14) OTHER(specify): (15) HALOGENS (16) OTHER(specify): (16) HALOGENS (17) PHENOLS (18) HALOGENS (18) HALOGENS (18) OTHER(specify): (10) HALOGENS | HICIPAL |
| Shot and off spec. In ineral fiber (SI HALOGENS (SI HAL | HER(spec |
| D. LIST SUBSTANCES OF GREATEST CONCERN WHICH ARE ON THE SITE (piece in descending order of Nezeral) 1. SUBSTANCE 2. FORM (mark 'X') 1. SUBSTANCE 2. FORM (mark 'X') 1. SUBSTANCE 3. TOXICITY (mark 'X') 1. SUBSTANCE 4. CAS NUMBER 5. AMOUNT Arsenic X 7440-38-2 *155 Lead X 7439-92-1 *734 | ٠. |
| D. LIST SUBSTANCES OF GREATEST CONCERN WHICH ARE ON THE SITE (place in descending order of hexard) 2. FORM 3. TOXICITY (mark 'X') 1. SUBSTANCE 5.50 Liq. Por High MED. Low NONE 5. AMOUNT Arsenic X 7440-38-2 *155 Lead X 7439-92-1 *734 | |
| D. LIST SUBSTANCES OF GREATEST CONCERN WHICH ARE ON THE SITE (place in descending order of hazard) 1. SUBSTANCE 1. SUBSTANCE 2. FORM 3. TOXICITY (mark 'X') (mark 'X') (mark 'X') 4. CAS NUMBER S. AMOUNT 1. SUBSTANCE X 7440-38-2 *155 Lead X 7439-92-1 *734 | |
| LIST SUBSTANCES OF GREATEST CONCERN WHICH ARE ON THE SITE (place in descending order of hezerd) 2. FORM (mark 'X') 1. SUBSTANCE 2. FORM (mark 'X') 3. TOXICITY (mark 'X') 4. CAS NUMBER 5. AMOUNT Arsenic X 7440-38-2 *155 Lead X 7439-92-1 *734 | . • |
| D. LIST SUBSTANCES OF GREATEST CONCERN WHICH ARE ON THE SITE (place in descending order of hezerd) 2. FORM (mark 'X') (mark 'X') 1. SUBSTANCE 1. SUBSTANCE X TAMOUNT Arsenic X T440-38-2 *155 Lead X T439-92-1 *734 | |
| 1. SUBSTANCE (mark 'X') 3. TOXICITY (mark 'X') 4. CAS NUMBER 5. AMOUNT Arsenic X 7440-38-2 *155 Lead X 7439-92-1 *734 | |
| 1. SUBSTANCE (mark 'X') 3. TOXICITY (mark 'X') 4. CAS NUMBER 5. AMOUNT Arsenic X 7440-38-2 *155 Lead X 7439-92-1 *734 | <u></u> |
| 1. SUBSTANCE | -1 |
| Lead X 7439-92-1 *734 | 5. UN |
| | pp |
| | pp |
| | <u> </u> |
| | 1 |
| | |
| | |
| | |
| *based on sample analysis results. | |
| VIII. HAZARD DESCRIPTION | |
| FIELD EVALUATION HAZARD DESCRIPTION: Place an 'X' in the box to indicate that the listed hazard exists. Description the space provided. | ribe the |
| A. HUMAN HEALTH HAZAROS , | |
| | |
| | |

| B. MON-MORKER INJURY/EXPOSURE C. MORKER INJURY/EXPOSURE D. CONTAMINATION OF WATER SUPPLY E. CONTAMINATION OF FOOD CHAIN | | VIII. HAZARD DESCRIPTION (continued) | |
|--|--|--|---------------|
| D. CONTAMINATION OF WATER SUPPLY E. CONTAMINATION OF FOOD CHAIN | B. HON-WORKER INJURY/EXPOSURE | | |
| D. CONTAMINATION OF WATER SUPPLY E. CONTAMINATION OF FOOD CHAIN | | | |
| D. CONTAMINATION OF WATER SUPPLY E. CONTAMINATION OF FOOD CHAIN | | | |
| D. CONTAMINATION OF WATER SUPPLY E. CONTAMINATION OF FOOD CHAIN | | | |
| D. CONTAMINATION OF WATER SUPPLY E. CONTAMINATION OF FOOD CHAIN | | · | |
| D. CONTAMINATION OF WATER SUPPLY E. CONTAMINATION OF FOOD CHAIN | | | |
| D. CONTAMINATION OF WATER SUPPLY E. CONTAMINATION OF FOOD CHAIN | | · | |
| D. CONTAMINATION OF WATER SUPPLY E. CONTAMINATION OF FOOD CHAIN | | • | |
| D. CONTAMINATION OF WATER SUPPLY E. CONTAMINATION OF FOOD CHAIN | | | |
| E. CONTAMINATION OF FOOD CHAIN | C. WORKER INJURY/EXPOSURE | | |
| E. CONTAMINATION OF FOOD CHAIN | | | |
| E. CONTAMINATION OF FOOD CHAIN | | | |
| E. CONTAMINATION OF FOOD CHAIN | | | • |
| E. CONTAMINATION OF FOOD CHAIN | | | |
| E. CONTAMINATION OF FOOD CHAIN | | | • |
| E. CONTAMINATION OF FOOD CHAIN | · | | |
| E. CONTAMINATION OF FOOD CHAIN | | | |
| E. CONTAMINATION OF FOOD CHAIN | | | |
| | D. CONTAMINATION OF WATER SUPPLY | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | • |
| | | | |
| | | • | |
| The second second second to the second secon | E. CONTAMINATION OF FOOD CHAIN | | |
| | | Strange to 1807 of a fight with the same and the same at the same to the same | ··., · |
| | | | |
| | | | |
| | | • | |
| | • | | |
| | | | |
| | | | |
| T. CONTAMINATION OF GROUND WATER | · | | |
| | imited use of groundwater 1 | in the region, and the fact that the amounts of contain | - |
| imited use of groundwater in the region, and the fact that the amounts of contains | ants contained in the waste | e is relatively small. | |
| ants contained in the waste is relatively small. | | • | |
| ants contained in the waste is relatively small. | | | |
| ants contained in the waste is relatively small. | | | |
| ants contained in the waste is relatively small. | | | |
| ants contained in the waste is relatively small. | | | |
| ants contained in the waste is relatively small. | X) G. CONTAMINATION OF SURFACE WATE | R C | |
| Ants contained in the waste is relatively small. (本) G. CONTAMINATION OF SURFACE WATER There is a potential for surface water contamination due to the fact that lead an | There is a potential for su | urface water contamination due to the fact that lead a | ınd |
| There is a potential for surface water contamination due to the fact that lead ar arsenic were contained in waste material disposed of at the landfill in the early | There is a potential for su arsenic were contained in w | urface water contamination due to the fact that lead a waste material disposed of at the landfill in the earl | y |
| There is a potential for surface water contamination due to the fact that lead ar arsenic were contained in waste material disposed of at the landfill in the early 1970's. This material was placed on the western side of the fill area along the | There is a potential for suarsenic were contained in v 1970's. This material was | urface water contamination due to the fact that lead a waste material disposed of at the landfill in the earl placed on the western side of the fill area along the | y P |
| There is a potential for surface water arsenic were contamination due to the fact that lead ar arsenic were contained in waste material disposed of at the landfill in the early 1970's. This material was placed on the western side of the fill area along the Texas and New Orleans Railroad. A soil sample was taken in this area to check for | There is a potential for suarsenic were contained in value of the second | urface water contamination due to the fact that lead a waste material disposed of at the landfill in the earl placed on the western side of the fill area along the road. A soil sample was taken in this area to check f | y € For |
| Ants contained in the waste is relatively small. \[\text{\ | There is a potential for suarsenic were contained in value of the second | urface water contamination due to the fact that lead a waste material disposed of at the landfill in the earl placed on the western side of the fill area along the road. A soil sample was taken in this area to check f | y € For |
| There is a potential for surface water arsenic were contamination due to the fact that lead ar arsenic were contained in waste material disposed of at the landfill in the early 1970's. This material was placed on the western side of the fill area along the Texas and New Orleans Railroad. A soil sample was taken in this area to check for | There is a potential for suarsenic were contained in value of the second | urface water contamination due to the fact that lead a waste material disposed of at the landfill in the earl placed on the western side of the fill area along the road. A soil sample was taken in this area to check f | y € For |
| arsenic were contained in waste material disposed of at the landfill in the early 1970's. This material was placed on the western side of the fill area along the Texas and New Orleans Railroad. A soil sample was taken in this area to check for | There is a potential for suarsenic were contained in value 1970's. This material was Texas and New Orleans Railr | urface water contamination due to the fact that lead a waste material disposed of at the landfill in the earl placed on the western side of the fill area along the road. A soil sample was taken in this area to check f | y € For |

| VIII MATARD DESCRIPTION (continued) |
|--|
| VIII. HAZARD DESCRIPTION (continued) |
| N. JAMAGE 10 PEUNA/PAUNA |
| |
| • |
| |
| · |
| |
| |
| |
| |
| |
| I. FISH KILL |
| |
| |
| |
| · |
| |
| |
| · |
| |
| |
| J. CONTAMINATION OF AIR |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| K. NOTICEABLE ODORS |
| re di escelar a le rapidad de deservat à delle estre de la righte di la constantial de la discollèga e escelar |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| L. CONTAMINATION OF SOIL |
| |
| L. CONTAMINATION OF SOIL |
| I L. CONTAMINATION OF SOIL |
| I L. CONTAMINATION OF SOIL |
| L. CONTAMINATION OF SOIL |
| L. CONTAMINATION OF SOIL |

| | VIII. HAZARD DESCRIPTION (continued) |
|---|--|
| H. FIRE OR EXPLOSION | |
| | |
| | |
| | |
| | |
| | |
| | |
| O. SPILLS/LEAKING CONTAINERS/RU | UNOFF/STANDING LIQUID |
| - | |
| | |
| | |
| | |
| | |
| | • |
| : | · |
| P. SEWER. STORM CRAIN PROBLEMS | |
| | |
| | |
| | |
| • | |
| : | |
| | |
| | · · · · · · · · · · · · · · · · · · · |
| Q. EROSION PROBLEMS | |
| on the second second section (section 24) | property delicated gradient specification of the contraction and the contraction of the c |
| • | |
| | |
| | |
| | |
| | |
| R. INADEQUATE SECURITY | |
| - | ★ |
| | |
| | |
| | |
| | |
| • • | • |
| • | |
| | |
| S. INCOMPATIBLE WASTES | |
| S. INCOMPATIBLE WASTES | • ' |
| S. INCOMPATIBLE WASTES | |

| VIII. HAZARD DESCRIPTION (Sontinued) | | | | | | | | | | | |
|---|---|--|--|---|--|--|--|--|--|--|--|
| T. MIDNIGHT DUMPING | | ZKIT TION LIMITAGEST | | | | | | | | | |
| | | | | | | | | | | | |
| | | | • | · | | | | | | | |
| · | • | • | | | | | | | | | |
| • | • | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| U. OTHER (epocify): | | | | | | | | | | | |
| The United States Gypsum Company manufactures mineral wool insulation from steel mill slag and basalt. The material is melted at high tempertures and then the streams of molten glass are spun into fibers that are hurled onto a moving belt. This woolly mass is impregnated with various binders and formed into shapes for use as insulation. During the process 30% of the steel slag and basalt is lost as waste material called shot. The shot is disposed of in the landfill on the northern part of the companies property. Also off specification mineral fiber is disposed of in the landfill. No other wastes are deposited on site. United States Gypsum hauls their skids, and paper waste to the Corsicana city landfill. The plant currently filters their stack emissions for particulates and SO ₂ in accordance with permits they hold through the Texas Air Control Board. In the early 1970's U.S. Gypsum used copper slag that contained some lead and arsenic. The waste from the process was disposed of in the landfill on the western side along the Texas and New Orleans Railroad. The company changed from copper slag to steel mill slag in about 1974. So for only a time period of 2-3 yrs, was material containing lead and arsenic disposed of: | | | | | | | | | | | |
| During the FIT inspection no leachate was observed leaving the landfill and the site appeared very stable. A soil sample was taken on the western side of the landfill between U.S. Gypsum Property and the Railroad(see site sketch). (see attachment A) | | | | | | | | | | | |
| | IX. POPULATION DIRECT | TLY AFFECTED BY SI | TE . | | | | | | | | |
| A. LOCATION OF POPULATION | 9. APPROX. NO. OF PEOPLE AFFECTED | C.APPROX. NO. OF PEO AFFECTED WITHIN UNIT AREA | D. APPROX. NO. OF BUILDINGS AFFECTED | E. DISTANCE TO SITE (specify units) | | | | | | | |
| 1.IN RESIDENTIAL AREAS | 500 | 500 | 125 | 1 mile | | | | | | | |
| 1. OR INDUSTRIAL AREAS | 130 | 130 | 10 | 1 mile | | | | | | | |
| IN PUBLICLY 3. TRAVELLED AREAS | 600 | 600 | | ½ mile | | | | | | | |
| 4. PUBLIC USE AREAS (parks, schools, etc.) | 450 | 450 | . 4 | 1 mile | | | | | | | |
| A. DEPTH TO GROUNDWATER Apoct | | HYDROLOGICAL DAT | A | VICINITY | | | | | | | |
| 50 ft. | southeaster | ·Ĩÿ | none | | | | | | | | |
| C. POTENTIAL YIELD OF AQUIFER 200 gpm* | (*P°S'Eënibë Fow | KING WATER SUPPLY | * *see below | | | | | | | | |
| S. TYPE OF DRINKING WATER SUPS 1. NON-COMMUNITY C 15 CONNECTIONS | PLY 2. COMMUNITY (specify town); > 15 CONNECTIONS | Corsicana, TX | | | | | | | | | |
| _ | 4. WELL | | | | | | | | | | |
| PA Form 7:070-3 (10-79) | | 3 OF 10 | | ue On Page 9 | | | | | | | |

^{*}Woodbine Formation, 1800 feet deep

**Lake Halbert which is located 4.5 miles to the southeast of the site, and Navarro Mills
lake which is located 19 miles to the southwest.

| LIST ALL DE | NINKING WATER WEL | X. WATER AND HYDROLOG | | | |
|--------------------------|---------------------------------------|--|--|-------------------------------------|------------------------|
| 1. WELL | 2. DEPTH (specify unit) | 3. (| . DC A TION opulation/ buildings) | HDN-COM- MUNITY (Dark 'X') | COMMUNITY (mark 'Z' |
| None | <u> </u> | | | | |
| | <u> </u> | | | | |
| | | | | | ļ |
| · · · | | | · | | |
| | A 7 2 3 | anta di Sa n ganti, ni angate sa tisangga A | and the last of the state of th | · | |
| RECEIVING W | | | 3. STREAMS/RIVERS | | |
| Tri <u>nity</u> R | | 4. LAKES/RESERVOIRS | 5. OTHER(specify): | | |
| | | TON OF RECEIVING WATERS | | | |
| raw water | supply. | oncontact recreation, | propagation of fish a | nd wildlife | and do |
| | · · · · · · · · · · · · · · · · · · · | XI. SOIL AND VEGI | TATION DATA | | |
| A. KHOWN | SITE IS IN: I FAULT ZONE | B. KARST ZONE | C. 100 YEAR FLOOD PLAIN | D. WETLAN | • |
| T E. A REGI | ULATED FLOODWAY | F. CRITICAL HABITAT | V G. RECHARGE ZONE OR SOL | E SOURCE AQUIFER | ! |
| | | XIL TYPE OF GEOLOGICAL | | | |
| A. CVERSI | l'xf | geological material observed and 8. BEDROCK (specify below) | 1×1 | ER (specify below) | <u>+11</u> |
| (1. SAND | . X Nac | atoch Sand | | | |
| 2. CLAY | | | | | |
| 3. GRAVEL | | | | | |
| | | XIII. SOIL PERM | MEABILITY | | |
| A. UNKNOV | NN ATE (10 to .1 cm/sec. | 9. VERY HIGH (100,000 to .) | | to 10 cm/sec.) (.001 to .00001 cm/s | * C•) |
| S. RECHARGE | 2. NO 3. C | Shallow ground | water is recharged th | roughout the | Naca- |
| 1. DISCHARGE | | DMMENTS: | | | |
| . SLOPE I. ESTIMATE % | OF SLOPE 2. S | PECIFY DIRECTION OF SLOPE, CO | NOITION OF SLOPE, ETC. | | |
| 5-10% | SO | utherly | | | · |
| The site fine-grain | is located at ned quartz -s e. | op the Nacatoch Sand, and. The Nacatoch Sa | an upper-Cretaceous nd is a minor aquifer | unit compose of limited | d of local |

| | | XIV. PERMIT INFO | RMATION | | | _ | |
|--|--|--------------------------|--------------------------|-------------------|-----------|--------------------|-------------|
| List all applicable permits | held by the site and | provide the related info | mauon. | | | | |
| | | | D. DATE | E. EXPIRATION | | COMPLI Best 'X' | |
| A. PERMIT TYPE (e.g., RCRA, State, NPDES, etc.) | B. ISSUING AGENCY | C. PERMIT NUMBER | ISSUED (mo.,day,&yte) | CATE (modey.byr.) | 1. VES | 2. | 3 |
| | Texas Air | <u> </u> | | i | 1 | 1 | i |
| State | Control Bo | ard NB-0041-0 | Unknown | Unknown | Χ | . <u></u> | 1 |
| | 1 | NEDS - EMS | | | | | |
| <u>Identification No.</u> | 1 FPA | 3810-0008 | Unknown | llnknown | ! x | ! | |
| | | | } | | ł | | • |
| | | | 1 | | | ! | + |
| | | , | | 1 | | İ | |
| · · · · · · · · · · · · · · · · · · · | i i | | | i | | | 1 |
| · | | | | | | | |
| | | | 1 | | | 1 | l |
| <u> </u> | ' | <u></u> | | 1 | | <u>!</u> | |
| X NONE YES (aum | XV. PAST | REGULATORY OR EN | FORCEMENT AC | TIONS | | | |
| | • | | | | _ | | |
| | | | : ' ; - | | | | • • • |
| • | $t_{\rm cons} = t_{\rm cons} = t_{\rm cons}$ | • | • | .* | - | | |
| | | | | • | | | |
| • | • | | | • | | | |
| | • | , | · | | | • | |
| | | | | | | | |
| | | | • | | | • | |
| | ٠. | | | | • | | |
| | | | | | | | |
| • | | | | • | | | |
| | | grown received | | | • | | |

NOTE: Based on the information in Sections III through XV, fill out the Tentative Disposition (Section II) information on the first page of this form.

EPA Form T2070-3 (10-79)

PAGE 10 OF 10

ATTACHMENT A

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT SUPPLEMENT SHEET

Instruction - This sheet is provided to give additional information in explanation of a question on the form T2070-3.

Corresponding number on form

Additional Remark and/or Explanation

I.I.

of the manufacturing plant, offices, and storage facilities. There is also a landfill on the northern part of the site. (see site drawing of plant and property). The land topography is relatively flat and the soil type is sandy.

VIII.U.

Analysis from the sample data showed no significant organics to be present.

Berylluim, cobalt, copper, iron, manganese, zinc, arsenic, tin and lead were found in concentrations exceeding mean background levels (see analysis summary sheets).

Due to the elevated levels of inorganics present in the sample, the FIT recommends that further sampling be performed to better characterize the site.

Based on the information obtained during the reconnaissance inspection, the following sampling plan is proposed for United States Gypsum:

- A) Sediment sample from one of the two ponds on site near drainage path from the landfill.
- B) Soil sample from runoff path leaving the south east corner of the property.
- C) Sample from the eastern side of the landfill area.
- D) Sample from the western side of the landfill area.
- E) 2-3 soil samples beginning south of the plant and moving north from the natural drainage path between the Railroad and U.S. Gypsum property.
- F) 1-2 offsite soil samples from drainage path leaving the south east portion of site property.
- *See attached site sketch for tentative sample locations.

INSTRUCTION LANDFILLS SITE INSPECTION REPORT Answer and Explain (Supplemental Report) as Necessary. 1. EVICENCE OF SITE INSTABILITY (Eronion, Settling, Sink Holes, etc.) L EVIDENCE OF IMPROPER DISPOSAL OF BULK LIQUIDS, SEMI-SOLIDS AND SLUDGES INTO THE LANDFILL nly waste disposed on onsite is shot and off spec. mineral fiber. IL CHECK RECORDS OF CELL LOCATION AND CONTENTS AND BENCHMARK **□ 724** 4 MASTES SURROUNGED BY SORBENT MATERIAL Soil type for the area is sandy L DIVERSION STRUCTURES ARE EFFECTIVELY CONSTRUCTED AND PROPERLY MAINTAINED & EVIDENCE OF PONDING OF WATER ON SITE 7. EVIDENCE OF IMPROPER/INADEQUATE DRAINING CITES ON 6. ADEQUATE LEACHATE COLLECTION SYSTEM (II "Yee", specify Type) TYES. NO. 1945 TO SEE THE PROPERTY OF THE PROP BAL SURFACE LEACHATE SPRING . . . T 152 T 140 9. RECORDS OF LEACHATE ANALYSIS ☐ YES ☐ NO 19. GAS MONITORING ☐ ∀ ₹3 11. GROUNDWATER MONITORING WELLS 723 MO NO 12 ARTIFICIAL'MEMBRANE LINER INSTALLED 13: SPECIFIC CONTAINMENT: MEASURES (Clay Bonon, Sides; etc) 従┐∾◦ 14 FIXATION (Stabilization) OF WASTE T YES ____ NO 15. AGEQUATE CLOSURE OF INACTIVE PORTION OF FACILITY ☐ væs ☆ No. Landfill is still active Landfill is only used to dispose of shot and off spec-mineral fiber. Material serves. as its own cover. 16m THICKNESS N/A 166. PERMEABILITY Soil Permeability for the area is high. Se. DAILY APPLICATION 益 ₹453 □ 700

·..**>**

Page 1 of 2

CASE NUMBER: 1871, SAS 6035

SITE NAME/CODE: U.S. Gypsum Corp. (TX 10022)

CONCENTRATIONS (ppm)

| | | 1 | | . E | PA Sample | Numbers | (pp/ | _ | • | Mean Ambien | t Background 1. |
|--------|----------------|------------------|-------------|-----|-----------|---------|------|---------------|----------|-------------|---------------------------------------|
| PA | RAMETER | MF | | | | | | | | Western | Eastern |
| | | 9538 | - | | | | | 1 1 | | U.S. 2. | U.S. 2. |
| | Matrix Type | Soil | | | | | | | | Soil | Soil |
| | Aluminum | 28,000 | | | | | | | | 54,000 | |
| . [| Chromium | 34 | | | | | | | | 38 | 36 |
| ĺ | Barium | 442 | | | | | | | | 560 | . 300 |
| | Beryllium | 3,2 | | | | | | | | 0.6 | 0.6 |
| | Cobalt | 50 | | | | | | | | 8 | 7 |
| | Copper | 389 | | | | | | | | 21 | 14 |
| Task l | Iron | 43,700 | | | | | | | | 20,000 | |
| | Nickel | 19 | | | | | | | | 16 | 13 |
| | Manganese | 1,400 | | | | | 1 | | | 390 | 290 |
| į | Zinc | 4020 | | | | | | | · | 51 | 36 |
| | Boron | 53 | | | | | | | · | 22 | 32 |
| | Vanadium | 44 | | , | | | | | | 66 | 46 |
| | Silver | | | | | | | | | <.50 | |
| | Arsenic | 155 | | | | | | | | 6.1 | 5.4 |
| | Antimony | 1.55 | <u></u> | 1 | | | | | | . <150 | |
| | Selenium | | i | 1 . | | | | | | 0.25 | 0.39 |
| Task 2 | Thallium | | | | | | | | | | - |
| | Mercury | | | | | | | | <u> </u> | 0.055 | 0.096 |
| | Tin | 64 | | | | | | | | <10 | <10 |
| | Cadmium | | \ | | | | | | | <1 | <1 |
| | Lead | 734 | | | | | | | | 18 | 14 |
| | Ammonia | | | | | | | | | | <u>-</u> |
| Task 3 | Cyanide | | | | | | | | | - | - |
| | Sulfide | | | | | | | | | _ | |
| Sample | Station Number | | | | | | | | | 1. Ambient | background concen- |
| | | NW Side of LF | | | | | | | | trations | apply only to soil amples. Values ob- |
| Sampl | e Station | | } | 1 | | } | | | | | rom "Geochemistry |
| Locat | | | | | | 1 . | 1 | | | | Rocks, Soils, |
| 1 | | | [| 1 | 1 | | | 1 | | | d Vegetables in the |

2. Reference for East/West Division is the 97° W longitudinal line which bisects Region VI.

Plant and Vegetables in the Contermious United States" Geological Survey Professional Paper 574 F 1975.

TABLE II. ORGANIC ANALYSIS SUMMARY

Page $\frac{2}{}$ of $\frac{2}{}$

ASE NUMBER: 1861

ITE NAME/CODE: U.S. Gypsum Corp. TX 10022


| | · . | | | ·. | CONCENTRATIONS (ppm) EPA SAMPLE NUMBERS | | | | | | | | | |
|--------------------------------|---------------|--|--------------|-----------|--|-------------|--------------|--------------------|---|---|--------------|--------------|--|--|
| PARAME | | | | | | | | FPA SAMPLE NUMBERS | | | | | | |
| Compound Methylene chloride | Fraction | P.P. | 2 S.H.S. | 3 T.I. | F 2184 | | , | | | | | | | |
| Methylene chloride | VOA | Χ | | | .083 | | • | | | | | | | |
| Unknown | VOA | | | Χ | 07 | | | | | | | | | |
| | | | | | | | | | · | | | | | |
| | | | | | | | \sim | | | | | | | |
| | | | | | | | • | | | | | | | |
| | | , - , - , - , - , - , - , - , - , - , - | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| · | | | | | | | | | | | | | | |
| | · | | | | | | | | | | | | | |
| | | | | | | | | | | | | l | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | <u> </u> | | | | | | ', | | | | | l | | |
| 11 | | | | | | | | l | | | | | | |
| ` | | | | | | , | • • | | | | | | | |
| | | | | | | | , | | | | | | | |
| | | | | | | | · | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | · | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | <u></u> | | | | | | | ļ | \ | | | |
| Matrix Ty | ре | | | | Soil | | ļ | | ļ | ļ | | | | |
| Sample St | ation Numb | er | | | 01 | | | <u> </u> | | | ļ | | | |
| Samala St | ation Loca | ation | | | NW side of LF | | | | | | | | | |
| | . ac ron noce | | | | | | | <u></u> | | | | 4 | | |


[.] Priority Pollutant.

Specified Hazardous Substance.

[.] Tentatively Identified.








| Photographer / Witness |
|-------------------------|
| RICK WIGHL PHIL WATTS |
| Date / Time / Direction |
| 6/23/83 / 1235 / WEST |
| Comments: |
| UEW OF OFFICES AT |
| UNITED STATES GYRSUM |
| COMPANY. |
| Proin # 1 |




| Photographer / Witness |
|-----------------------------|
| RICK WIGHT / PHIL WATTS. |
| Date / Time / Direction |
| 6/23/83 / 1147 / SOUTH |
| Comments: |
| PANORAMA OF THE SOUTH |
| SIDE OF THE PLANT FACILITY. |
| - |
| PHOTO #2 |



| Photographer / Witness |
|-------------------------|
| RICK WIGHT PHIL WATTS |
| Date / Time / Direction |
| 6/23/83 / 1145 NW |
| Comments: |
| PANORAMA OF LAND FILL |
| ALEA. |
| |
| |
| THOROS# 3-6 |



| Photographer / Witness |
|--------------------------|
| RICK WIGHT PHIL WATT |
| Date / Time / Direction |
| 6/23/83 / 1240 / SW |
| Comments: WASTE MATERIAL |
| FROM PLANT FURNACE. |
| (SHOT). |
| PHOTO # 7 |



Photographer / Witness

RICK WIGAL PHIL WATTS

Date / Time / Direction


6/23/83/1241 SW

Comments: UIEW OF OFF

SPECIFICATION MINERAL FIEER BEST

DISPOSAL INTO LANDFILL

PHOTO #8



Photographer / Witness

RICK WIGHT / PAIL WATTS

Date / Time / Direction

6/23/83 / 1231 / NW

Comments: UIEW OF OF SITE

SAMPLE LOCATION ON THE

NW BONDARY LINE OF SITE.

PHOTO # 9

PLEASE COMPLETE ALL INFORMATION IN THE 5 BLOCKS OUTLINED IN ORANGE SEE BACK OF FORM SET FOR COMPLETE PREPARATION INSTRUCTIONS YOUR FEDERAL EXPRESS ACCOUNT NUMBER 74,1 9757-5888-2 Hold For Pick-Up or Saturday Delivery Recipient's Phone Number TO (Recipient's Name) FROM (Your Name) ハしゃ DEPARTMENT/FLOOR NO COMPANY DEPARTMENT/FLOOR NO. COMPANY ECOLOGY & ENVINOENT THE 1/2011/11/11/14 STREET ADDRESS (P.O. BOX NUMBERS ARE NOT DELIVERABLE) STREET ADDRESS 1569 MAIN ST STE BLO 1.141 STATE CITY OP DALLES TX. ŏ ZIP ADDURATE ZIP CODE REDURED FOR CORRECT INVOICING IN TENDERING THIS SHIPMENT, SHIPPER AGREES THAT AIRBILL NO. 56635530 S わけわる TAL OR CONSEQUENTIAL DAMAGES ARISING FROM THAL DAMAGES ARISING FROM
CARRIAGE MEREOF, F. E. C. DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED. WITH
RESPECT TO THIS SHIPMENT, THIS IS A NON-NEGOTIABLE
ARBILL SUBJECT TO CONDITIONS OF CONTRACT SET FORTH
ON REVERSE OF SHIPPER'S COPY, UNLESS YOU DECLARE A
HIGHER VALUE, THE LIABILITY OF FEDERAL EXPRESS CORPORATION IS LIMITED TO STOD OD. FEDERAL EXPRESS DOES
NOT CARRY CARGO LIABILITY INSURANCE. YOUR NOTES/REFERENCE NUMBERS (FIRST 12 CHARACTERS WILL ALSO APPEAR ON INVOICE) FEDERAL EXPRESS USE w AM 11633715 FREIGHT CHARGES Bill Recipient's F.E.C. Acct. Bill 3rd Party F.E.C. Acct. PAYMENT | Bill Shipper Bill Credit Card DECLARED VALUE CHARGE Cash in Advance DECLARED VALUE SERVICES DELIVERY AND SPECIAL HANDLING 0/5 PACKAGES WEIGHT CHECK ONLY ONE BOX CHECK SERVICES REQUIRED ADVANCE ORIGIN AGT/PRO OVERNIGHT LETTER PRIORITY 1 FEDERAL EXPRESS LOCATION SHOWN IN SERVICE GUIDE RECIPIENT'S PHONE NUMBER REQUIRED 1 Provenient PACKAGESI 6 1 (ID to 2 02) AGT/PRO ADVANCE DESTINATION COURIER PAK 70. 2 OVERMENT ENVELOPE 2 DELIVER 8 TOTAL 3 DOVERNOON BOX TOTAL TOTAL 3 SATURDAY SERVICE REQUIRED See Reverse (Extra charge applies to 4 RESTRICTED ARTICLES SERVICE (P-1 and Standard Air Packages only, extra charge) RECEIVED AT SHIPPER'S DOOR

REGULAR STOP

ON-CALL STOP TOTAL CHARGES STANDARD AIR 5 DELIVERY 2ND BUSINESS
DAY FOLLOWING NOW UP
OUR IN 70 LIBS.) 6 🗆 F.E.C. LOC. "OVERNIGHT" IS NEXT BUSINESS DAY (MONDAY THROUGH FRIDAY): TWO DAYS FROM ALASKAHAWAJI. SATURDAY DELIV-ERY AVAILABLE IN CONTINENTAL U.S. SEE "SPECIAL HANDLING." Federal Express Corporation Employee No. 7 🗆 OTHER SPECIAL SERVICE PART# 2041730751 FEC-S-0751 D/O/B REVISION DATE 8 🗆 DATE/TIME For Federal Express Use 9 🔲 7-82 GBF PRINTED USA

5 6 6 3 5 5 3 0 0

| EXPRES | PLEASE COMPLETE ALL INFORMATI SEE BACK OF FORM SET FOR COMI UR FEDERAL EXPRESS ACCOUNT NUMBER | PLETE PRE | | | | | | 6 3 5 5 5 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | 1 110 |
|---|--|-------------|--------------------------------------|-------------------------------|------------|--|---|---|--|------------|
| du752 | on redenic earliess account hombe | | | ", | <u>.</u> . |); <u></u> | | | | |
| ROM (Your Name) KV LAVII-PAL OMPANY I FOLGTY & FRV TREET ADDRESS 1509 #A15 51 5 | | OOR NO | | TO (Recip COMPAN STREET |) IY | ESS (P O BOX NUMBE | AS ARE NO | DEPAR | For Pick Up or Saturn ni's Phone Number TMENT/FLOOR NO | |
| DALLAS | | TATE T X | | CITY | | 4 // | - | | STATE | 2 |
| AIRBILL NO. 5643553 | ZIP ACCURATE ZIP CODE RECUMED FOR CORRECT INVOICES ZIP ACCURATE ZIP CODE RECUMED FOR CORRECT INVOICES | | | F.E.C. SHALL | NOT E | SHIPMENT, SHIPPER AGREE BE LIABLE FOR SPECIAL, IN NTIAL DAMAGES ARISING CARRIAGE HEREOF, F.E. CLAIMS ALL WARRANT | ICIDEN FROM C DIS- | P ACCURATE ZIP COOR R HOR OVERHAGHT DELTY | ERY CEDEDAL EVE | PRESS USE |
| : AM - 73 -1 | ecipient's F.E.C. Acct. DB:III 3rd Party F.E.C. | | Bill Credit | Card | | RESPECT TO THIS SHIPP AIRBILL SUBJECT TO COL ON REVERSE OF SHIPPET HIGHER VALUE, THE LIA | MENT. THIS IS NDITIONS OF C R'S COPY, UNI | A NON-NEGOTIABL CONTRACT SET FORTI LESS YOU DECLARE | F FREIGHT CHAR | GES C |
| | Number/Credit Card Number | -14 | | - | | PORATION IS LIMITED TO NOT CARRY CARGO LIAB | 1 \$100 00 FFC | IERAL EXPRESS DOE | S DECLARED VAI | LUE CHARGE |
| SERVICES CHECK ONLY ONE BOX | DELIVERY AND SPECIAL HANDLING CHECK SERVICES REQUIRED | PACKAGES | 1 | DECLARED VALUE | 0/5 | | | ST/PRO | ADVANCE ORIG | i i |
| PRIORITY 1 OVERNIGHT LETTER 1 Storement Pagaries; 6 ab to 2 cc.) 10 to 70 usc.) COURIER PAR 7 | HOLD FOR PICK UP AT FOLLOWING FEDERAL EXPRESS LOCATION SHOWN IN SERVICE GUIDE REDIFIENTS PHONE NUMBER REDUIRED | | 2 | | - | | | ST/PRO | ADVANCE DES | TINATION |
| 2 O O S RINGLOT ENVILOPE 8 O 3 O O O S RINGLOT BOX 9 O 0 O O O O O O O O O O O O O O O O O | 2 DELIVER SATURDAY SERVICE REQUIRED Ser Reverse (ECT2 charge sections for delivery.) | TOTAL | TOTAL | TOTAL | | | L | | OTHER | <u> </u> |
| STANDARD AIR STANDARD AIR DAY REGISTER STANDARD AIR DAY REGISTER DAY REGISTER DAY REGISTER STANDARD AIR | See Revenue (Earn charge applies for delivery.) RESTRICTED ARTICLES SERVICE (P-1 and Soundard for Proceedings only, earn charge) SSS (Septiates Security Services majories) SSS (Septiates Security Services majories) B | | PPER'S DOOI REGULAR ST ON CALL | TOP . | | ELPH ELPH | | • | TOTAL CHARGE | ES |
| OVERNIGHT" IS NEXT BUSINESS DAY | 7 OTHER SPECIAL SERVICE | · · · | | oration Employ | ee No. | | | | PART / 2041 FEC-S-0751 REVISION D | D/O/B |
| MONDAY THROUGH FRIDAY). TWO DAYS ROM ALASKAMAWAI. SATURDAY DELIV- RY AVAILABLE IN CONTINENTAL U.S. LEE "SPECIAL HANDLING." | 9 0 | DATE/TIN | AE For Fed | eral Express Us | ie | | | | 7-82 GBF | AIE |

ENVIRONMENTAL PROTECTION AGENCY
Office of Enforcement

REGION 6
First Internation Building 1
1201 Elm Street
Dallas, Texas 75270

CHAIN OF CUSTODY RECORD

| PROJ. NO. PROJECT NAME /x 100-2 U.S. GYTSUM Co. | | | | | | | | | | | | / | / ,/ | 1 .3 | 1 | /// | 7/ | 7 | | |
|---|----------|--|------------|--------|-------------------|---------------|-----------------|-----------------|----------------|-------|--------|--------------|--|--------|----------|-------------|--------|-------------|--|---------------|
| 1/2 100 | ~2 | U.C | - ' ~ | 64 | アンロル | 1 4 | Or, . | • | NO. | | | |)/ ₁ / ₁ / ₁ / ₁ | 4 | -/ | /// | / / | | | |
| SAMPLER | S: (Sign | ature) | 1 | | | | | | OF | | . / | | | | / 's/ | '.'.'/ | | | | |
| itir | 20 | 1.01.00 | <u>'/ </u> | | | · · | | | CON- | • | / 5 | Ĭ, | / | |) | ' // | ٠. | | REMARKS | |
| STA, NO. | DATE | TIME | COMP. | GRAB | | | N LOCATI | | TAINERS | | | | | | | | | | | |
| ر ۲ | Tok. | 15.5 | | / | CHMPHL Charles | TAKE | V 2-31 Hlans | - LUC OF | / | \ | ~ | V | V | | | TAG | II (c | -211 | 7 7= 4 | F-2184 |
| | | | | | Prison LA | ساعه تحرفنهما | • | 1 | | - | | | | | | | | | | |
| | | | | | | - | | | | | | Ĺ | | | | | | <u> </u> | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | • | | ٠, | | • | , | | | | | | | | |
| _ | | | | | | | | , | | | | , | | | | | | | | |
| | | | | | | | | | | | , | | | | | | | | | |
| | | | | | | | | | | | | | - | | | | | | | |
| | • | | - | | | | | | | | | | | | | | | | | |
| | | | | | | | | • | : | | | | | - | | | | | ······································ | ; |
| | _ | | | | | | · | 12 | <u> </u> | | | - | | | | | | | | |
| | | | | | | | | | | | | , - | | | | | | | | |
| | | ļ | _ | • | | | | | | | | | | | | | | | , | |
| | ····· | - | | | | | | | - | | | | | | | | | | | |
| | ·· | | <u> </u> | | | | | · | | | - | | | | | | | | | |
| Relinquish | | ~ / |) | 4 | Date . | Time | Received | by: (Signature) | , | Reli | nquisi | hed b | y: (Sig | netur | e) | | Date / | Time | Received by: (Signatur | re) ' |
| fick | | | | | 128/3 | . , | | E XYXX | | | | | | | | • | | | | |
| Relinquish | ed by: | Signature, | ı | - | Date / | Time | Received | by: (Signature) | | Reli | nquist | ned by | /: (Sig | natur | 9) | | Date / | Time | Received by: (Signatur | re) |
| | | | | | | | | | `\ | | | | | | | | | | , | |
| Relinquished by: (Signature) Date / Time Received for Laborato (Signature) | | | | | | y by: | | Dat | e /Tii | me | R | emarl /-∤ | ks RBILL | #- | 566 | 355300 | | | | |
| | | Dist | ributio | on: Or | iginal Acco | npanies Si | hipment; C | opy to Coordina | tor Field File | s | | | | \neg | | | | | · · | |

ENVIRONMENTAL PROTECTION AGENCY Office of Enforcement

CHAIN OF CUSTODY RECORD

REGION 6
First Internation Building
1201 Elm Street
Dallas, Texas 75270

| PROJ. NO. PROJECT NAME TX 102 2 - 11/2 - 11 - Cyrisum Company SAMPLERS: (Signature) | | | | | | | | | | NO. | A SA COMPANY | The No. | | /. | . / | | | | |
|---|-----------|------------|-----------|--------|-------------|---------------------------------------|---------------------|---|-------|---------------------------------------|--------------|----------|--------|---------|----------|--------|-------------|---------------|--------------------------|
| SAMPLER | S: (Signa | ture) | <u>//</u> | | · | | `*, | 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | OF | | | | | / | | | sy | REMARKS |
| STA. NO. | DATE | TIME | соме | GRÀB | | | N LOCA | | 1 | AINERS | | | | | | | | , | |
| 01 | 1/25/13 | /230 | | \ | THE Ate | THIUES THIUES | T WE | OF THE | | / | \ | | | • | | | TAG# (| <u>- 2//8</u> | 7 7 7 MF 938 |
| | | | · | | | | | * | 1 | | | | | | | | | | |
| | | | | - | | | · · · · · · · · | | + | | | | | | | | | | |
| | | | | | | | | | | ·. | | | | | | | | · | • |
| | | | | - | | <u> </u> | | • | | • • | | <u> </u> | | , | | | | · | |
| | | | | | | | | | _ | | | | | | | | | , | |
| | | | | | | · · · · · · · · · · · · · · · · · · · | | · | _ | | | | | | | | | | |
| | | | | | · | | | | | · · · · · · · · · · · · · · · · · · · | | | | | i · | | ,==: | | |
| | | | | | | | | | | | | | | | | | | , | |
| Relinquish | | , | , | (| 128/83 | /Time 1415 | FED | ed by: (Signatur LXAL ExPKES | • | | Helli | nquisi | hed b | y: (Sig | netui | re) | Date | /Time | Received by: (Signature) |
| Relinquish | ed by: (| Signature | J | | Date / | /Time | Receive | ed by; <i>(Signatui</i> | re) | | Reli | nquisi | hed by | y: (Sig | natur | re) | Date | / Time | Received by: (Signature) |
| Relinquish | ed by: (| Signature, | j . | | ·Date | /Time | Receive (Signatu | ed for Laborat (re) | ory t | by: | | Dat | e /Ti | me | F | Remarl | KS ILL I | 5662 | 55311 |
| | | Dist | ributio | on: Or | iginal Acco | mpanies SI | hipment; | Copy to Coordin | nator | Field File | s | | | | \dashv | | | | - |

file

ECOLOGY AND ENVIRONMENT, INC. REGION VI MEMORANDUM

TO: Keith Bradley, RPO

FROM: Hunt Chapman, FIT-Chemist

THRU: K. Malone, Jr., RPM get

DATE: June 13, 1985

SUBJ: Sampling Mission to U.S. Gypsum, Corsicana, TX (TX10022)

TDD# R6-8409-09


On December 17, 1984, a sampling mission was conducted at U.S. Gypsum Co., 1100 Hardy Ave., in Corsicana, TX. The FIT sampling team consisted of Team Leader Hunt Chapman, and team members Miles Bolton, Bernard Cousins and Lloyd Collins. The purpose of the sampling was to characterize the site as a result of elevated metals concentrations found in an earlier off-site reconnaissance sample. A total of eight samples were taken (see site sketch and Table II for sample locations and photographs).


Based on the analytical results of samples taken at stations 02 and 07, the waste material itself contains high levels of several metals of concern. These include antimony, arsenic, beryllium, chromium, cobalt, copper, iron, lead, manganese, nickel, tin, vanadium, and zinc. The offsite sample taken at station 03 contains elevated levels of zinc and lead. It seems unlikely that these elevated levels are a result of leachate run off from the landfill since the ground level there is approximately 5 feet higher than the base of the landfill. This sample was originally intended to be representative of the background soil concentrations for the area; however, the elevated levels of lead and zinc preclude using this for background. Due to lower metals concentrations, the sample taken at Station 01 seems to be a better example of background concentrations even though it is on site.

The drainage ditch sample at Station 04 contains elevated concentrations of arsenic, copper, lead, tin and zinc compared to ambient background levels of these elements ("Element Concentrations in Soils and Other Surface Materials of the Conterminous United States", 1984, U.S.G.S. Paper 1270). Sample 08 is from a natural drainage basin leading from the manufacturing plant and from the location of ponds that have since been drained. The levels of arsenic, lead and zinc from this sample are higher than all other samples except from the samples of the actual waste material itself. The sample taken at station 05 is off-site in a road side ditch that receives drainage from the area of Station 08. It has elevated levels of arsenic and zinc compared to ambient background levels of these elements.

The analytical results for samples 04 and 08 indicate that contamination exists in the drainage basins on the site. However, because of the elevated zinc level in the bacground sample, it is not clear if contamination has reached off site to stations 05 and 06.

It seems unlikely that the elevated zinc level in Station 03 could be a result of run off from the site since it is on higher ground. One other possibility is stack emissions from the manufacturing plant. Reliable background soil concentrations are needed to determine if contamination is present off-site from either run-off or stack emissions. Therefore, the FIT recommends further off-site sampling to make these determinations. The proposed sampling plan is included in the site sketch of the facility.





Page of 1

CASE NUMBER: 3663

SITE NAME/CODE: U.S. Gypsum Co.

| | 4 | | | | | | RATIONS (| ppm) | | | <u> </u> | |
|---------------|---------------|----------------------------------|--|---|---------------------|-----------------------|-----------|-------------|--------------------|---|--------------------|--|
| | | • | <u> </u> | | EPA Samp | le Numbe | rs | | | | Ambient Bac | kground 1. |
| PARAMETER | MF1865 | MF1866 | MF1867 | MF1868 | MF1869 | MF1870 | MF1871 | MF1872 | MF1873 | | Western U.S. 2. | Eastern U.S. 2. |
| Matrix Type. | Soil | Soi1 | Soil | Soil | Soil | Soil | Soil | Soil | Blank | | Soil | Soil |
| Aluminum | 9640 | 41500 | 10200 | 13100 | 6480 | 10700 | 40400 | 14800 | | | 58,000 | 33,000 |
| Ant imony | | 31 | | | | | 241 | | | | .47 | .52 |
| Arsenic R | | 558 | 9.6 | 40 | 18 | 9.8 | 6780 | 110 | | | 5.5 | 4.8 |
| Barium | 35 | 415 | 378 | 104_ | 118 | 206 | 273 | 133 | .74 | | 580 | 290 |
| Beryllium | | 5.6 | 1.2 | 1.2 | | 1.2 | 5.0 | 1.5 | | | 0.68 | 0.55 |
| Cadmium | | | | | | | ŀ | | | | <1 | <1 |
| Chromium | 9.9 | 61 | 6.5 | 13 | 5.8 | 16 | 55 | 9.7 | | | 41 | 33 |
| Cobalt | | 121 | 4.8 | 8.8 | | 5.6 | 140 | | | | 7.1 | 5.9 |
| Copper | | 774 | 16 | 92 | | 37 | 1050 | 10 | | | 21 | 13 |
| Iron | 7310 | 62700 | 8850 | 11900 | 6190 | 12900 | 60600 | 9260 | 9.4 | | 21,000 | 14,000 |
| Lead R | 16 | 1930 | 50 | 444 | 14 | 34 | 21900 | 120 | | | 17 | 14 |
| Manganese | 24 | 1660 | 140 | 190 | 147 | 143 | 1290 | 203 | | | 380 | 260 |
| Mercury | | | I | | | | | | | | 0.046 | 0.081 |
| Nickel | | 40 | | | | | 65 | 1 | | | 15 | 11 |
| Selenium R | | | | | | | 18 | <u> </u> | | | .23 | .30 |
| Silver | | | | | | | | | | | - | |
| Thallium | | | | | | | | | | | 9.1 | 7.7 |
| Tin R | | 70 | | 27 | | | 229 | | | | .90 | .96 |
| Vanadium | 16 | 52 | 12 | 18 | 11 | 20 | 43 | 20 | | | 70 | 43 |
| Zinc *R | 47 | 7490 | 233 | 1100 | 174 | 181 | 18300 | 700 | | | 55 | 40 |
| Cyanide | | | | | | | | | | | | |
| Calcium | 2950 | 149000 | 9510 | 16600 | 9060 | 7760 | 145000 | 5980 | | | | |
| Magnesium | 1180 | 21300 | 1620 | 2830 | 1080 | 2360 | 22000 | 1690 | 1.7 | | | |
| Potassium | 995 | 5240 | 835 | 1530 | 1720 | 1330 | 4530 | 1900 | 324 | | | |
| Sodium | 256 | 2030 | 104 | 273 | 189 | 147 | 2200 | 249 | | | | |
| Station No. | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | Blank | | 1. Values | obtained fro |
| Sample Statio | IO EAST OF | WASTE MATERIAL, N.W.CORNER | 50' NORTH OF SITE AT N.W. CORNER | WEST SIDE OF LANDFILL IN DRAINAGE | PATH OFF- | HARDY RD | PAHIEKINE | 1000 E.OF | RINSEATIË BLANK | - | Soils and C | oncentrations Other Surface of the Conte |
| Location | | LANDFILL | | DITCH | OF PROPERTY LINE | ISIDE OF R.R.TRACK | LANDFILL | PLANT | <u> </u> | | | ed States", |
| | | | | | A / IVE | 11-14-1-14 | | | | | ٠ | |

E - indicates a value estimated or not reported due to the presence of interference.

Materials of the Conterminous United States", dated 1984. U.S.G.S. Professional Paper 1270.

2. Reference for East/Wes Division is the 96°W longitudinal line which bisect Region VI.

R - spike sample recovery is not within control limits.

^{* -} duplicate analysis is not within control limits.

TABLE II

Sample Station Locations

| Station 01 | 10 feet east of the landfall adjacent to an apparent rain water run-off path at the approximate midpoint of the eastern edge of the landfill. The sample was taken at a 9 inch depth (see Photo #2). |
|------------|---|
| Station 02 | The northwest corner of the landfill at a depth of 9 inches. This is a sample of the waste material (see Photo #3). |
| Station 03 | 50 feet north of the property line at the northwest corner of the site (see Photo #4). |
| Station 04 | West side of landfill in a drainage ditch on-site, next to the landfill at a depth of 6 inches (see Photo #5). |
| Station 05 | Drainage ditch on the north side of Hardy Rd. 50 feet west of the southwestern property line of the site at a depth of 6 inches. This ditch is a continuation of the natural drainage from the site (see Photo #6). |
| Station 06 | 75 feet south of Hardy Rd. on the east side of the railroad tracks in a drainage ditch 3 feet from the tracks at a depth of 1 foot (see Photo #7). |
| Station 07 | North side of the landfill at a depth of 6 inches. This represents the actual waste material (see Photo #8). |
| Station 08 | Natural drainage path approximately 1000 feet east of the manufacturing plant at a depth of 6 inches (see Photo #9). |

FALL BUT PURPLE AREAS FRO ASSISTANCE. CALL BOD-230-5156. TO BE MALESSE AREA CALL BOD-250-500. SEE BACK BY FROM SET FOR COMPLETS FOR PARATTON PROTESTING. .01122-944802ENE. 94-37 Your Phone Number (Very Important) To (Recipient's Names From (Your Name) ecopient's Phone Number (Very Importan (200 Jun-6601 7.73 750 3000 Department/Floor No VIRONMENT INC lersar Street Address ATE STE TE NIAM POEL City ZIP *Zip Code Required For Correct Invoicing ZIP Street Address Zip Required (to P.a. Re * Zo Co 4: E1 48H2 13201 NOLD FOR PICK-UP AT THIS FEDERAL EXPRESS ADDRESS Street Address (See Service Guide or Call 800-238-5355) YOUR BILLING REFERENCE INFORMATION (FIRST TWELVE CHARACTERS WILL APPEAR ON INVOICE) 8 Federal Express Use Base Charges SHIPPER Ball Recipiert's FedEx Acct. No Ball 3rd Party FedEx Acct. No Ball Credit Card
Fill in line below. PAYMENT BE SHORE Cash FedEx Acct. No or Major Credit Card No Declared Value Charge SERVICES TO 392H TOELIVERY AND SPECIAL HANDLING YOUR DECLARED OVER VALUE (See right) SIZE ZIP *Zip Code of Street Address Required WFIRMT Ongin Agent Charge PRIDATITY 1 OVERNIGHT LETTER
1 Overnight Delivery 6 Overnight (Authority) 6 Overnight (Authority) (Authority) 6 Overnight (Authority) (Aut In MOLD FOR PICK-UP Give the Federal Expres YOUR DECLARED VALUE ** OVERNIGHT DELIVERY
USING OUR PACKAGING
County-Pak Overnight Enveloping 2: Physic is:
12" x 15" DAMAGE OR LOSS O DELIVER WEEKDAY We are liable for no more than \$1,00 per package in the event of physical loss or demage, unless you lift in a higher because of statement and countries of the higher because of the statement of the statement of the statement of softmans at 100° of concluded value to to the meantum strong in our several case, pleastand value measticating and allowed on the back of the Shapper's Copy of this should, We, make no express or window averantics. Jotal ?≘€A 3 Outrien Sox Other 3 DELIVER SATURDAY (Extra charge applies) 92 A RESTRICTED ARTICLES SERVICE (A) and Sandard As Packages only Euro charge explicit SCANTURE SECURITY SERVICE (SSS) (Exira charge explicit) 4 Overnight Tube B STANDARD AIR Shipper's Door

Regular Stop

On-Call Stop
FedEx Loc. Total Charges S. OELAY 5 Distant not tase than accord business day There is always a risk of late delivery or non-delivery. In the event of a late delivery Federal Express wal, as your request, returnd all transportation of larges paid. See beact of Shipper's Copy of this aids for further information. 6 - 🔲 DRY ICE ... TOTAL SERVICE COMMITMENT

ROPHY 1 - Delivery is echeduled early rised business
most locations is may take also or myte business d

ro Alaska or Hawas, or if the destination is outside out 7. OTHER SPECIAL SERVICE CONSEQUENTIAL DAMAGES PART #2041738901 8 We will not be responsible or liable for any loss or dam-reading from delay, non-delivery or damage to a packal except as noted above. The includes loss of adea, inco-nierest profits attorneys less and other costs, but is limited to these items. Such damages are called "con-9 Extractor Prox-or on Extractor on (Extra charge applies) #2041738901 FEC-S-751-1000 REVISION DATE 10/84 PRINTED U.S.A. SRC Date/Time For Federal Express Use

Ç

REGION 6

First International Bldg., 1201 Elm St.

| • | Office | | | CHAIN | OF CUS | rody | Y RE | COF | RD. | | First International Bidg., 1201 Elm St. Dallas, Texas 75270 | | | | | |
|--------------------------|---|--------------|---------|-------------------|-----------|---------------|-------------------------------------|--------------|-------|--------|--|---------|---------|-------------|---------------------------------------|--------------------------|
| PROJ. TX/00 SAMPLE | 22 | ROJEC | S. (| \mathcal{F}_{4} | psu- | Co | | NO. | | | (| . /. | | | | |
| Ben | road | Cour | sign of | ges n | · | ~~~~~ | | OF CON- | : | | P /. | 1/ | | | | REMARKS |
| STA. ŅO. | DATE | TIME | COMP. | GRAB | | STATIO | N LOCATION | TAINERS | A | (0) | | | | | Traffic Form # | Tag # |
| 01 | | 1045 1045 | | X | lo East | of La | ndfiil 9"deep | 1 | 7 | | | | | | MF 1865 | 6-07184 |
| 22 | 2/17/6 | 1113 | | Х | NWCON | ies of | landfill g'alcop | 1 | | | | | · | | MF 1866 | 6-07448 |
| 03 | 12/17/81 | 1120 | Ι. | X, | 50' N. | of sit | e of Nw Corner | 1 | | | | | | | MF 1867 | 6-67449 |
| 24 | 2/17/84 | 1155 | | 入 | v. sile o | t land | 411 in drawinge disch | l | ~ | | | | | | MF 1868 | 6-07445 |
| 05 | 2/17/8/ | 1220 | | 人 | Drawige A | ath other | te soft 4 of P.1. 6 deg | × (| ~ | | | | | | MF 1869 | 6-07278 |
| 06 | 2/17/81 | | | | | | n E. Side of RR tracks | <u> </u> | سا | | , | | | | MF 1870 | 6-07443 |
| 07 | 2/17/84 | 1305 | | - T | | | von N. suls of landfill | | ~ | | | | | $\neg \neg$ | MF 1871 | 16-07186 |
| - | 2/17/81 | 715 | | | | | " B. of Plant 6" deep | | V. | | | | | | MF 1872 | 6-07.188 |
| | U/17/PY | | | | Rinsut | | | l. | / | | | | | | MF 1873 | 6-07190 |
| 1 | | · · | | | | | | | | 1 | | | | | | |
| P | | | | | | | | | | , , | | 1 | | | · · · · · · · · · · · · · · · · · · · | ± 34 |
| | <u> </u> | | | <i>:</i> - | | | | | | į | | | | | | |
| | | | | | | | | - | | 1 | | , | | | | |
| | 1 | | | | | | ····· | | | - | | | | | | |
| | 1. | | | | | | | | | | | | | - | | |
| Relinguis Dema | 16 | | 3 | 6 | Date RA | /Time 1500 | Received by: (Signature) Federal Ex | | Relin | nquisl | ned b | y: (Si | gnature | · · | Date / Time | Received by: (Signature) |
| | Relinquished by: (Signature) Date / Time Received by: (Signature) | | | | | | | | Relin | nquisł | ned by | y: (Sig | nature | , | Date / Time | Received by: (Signature) |
| Relinquis | hed by: / | - | _ | | | /Time | Received for Laborator (Signature) | | | | | | | | 11 | 118032 9434670 |

ENVIRONMENTAL PROTECTION AGENCYOffice of Enforcement

CHAIN OF CUSTODY RECORD

REGION 6
First International Bldg., 1201 Elm St.
Dallas, Texas 75270

| PROJ. 1 TX 100 | 10. F | PROJECT | | | m c | 3. | | | NO. | | | / | // | 7/ | | | /i | |
|-------------------|------------|--------------------|-------|------------|--------------|------------------------------|-------------|--------------------------|------------|----------|---------|-------|---------|-------------|---------------|----------------|---------------|--|
| SAMPLER Benga | IS: (Şigni | sture) 💃 | lo | y | t voll | er.o | | | OF CON- | | /15 | / | // | / | | | | REMARKS |
| STA. NO. | DATE | TIME | COMP. | GRAB | | STATIO | N LOCAT | ION | TAINERS | 1 | No Port | | | | | | , | Tas # |
| 01 | 12/17/89 | 1045 | | ス | 10' Bus | t of L | ondfill | 9"deep | 1 | V | | | , | - | | | | 6-07185 |
| 02 | 2/17/81 | 11:25 - | | 人 | NW Coin | er of lu | ndfill 4 | "deep | 1 | W | | | | | | | | 6-07447 |
| 03 | 12/17/80 | 11.20 | | X | 50' N. 0 | t site | at No | u corner | Į. | 2 | | | , | | | , | - | 6-07446 |
| 04/ | 2/17/81 | 11:55 | | X | w.side o | f loadt | Il In D | vaing e witch | 1 | 1 | | | | | | | <u> </u> | 6-07444 |
| 25 | 2111/84 | 120 | | X | Ora ging o f | ath off | site 50' | W & PL 6'dig | 1 | 0 | | • | | | | | | 6-07442 |
| 06 | 24284 | | | X, | S. of Harr | y Ped. o | n E. side | of RR tracks | 1 | U, | | | | | | | j | 6-07441 |
| 07 | 2111/84 | 1305 | | 火 . | waste 1 | nuterial | from A. | site of lookfill | 1 | 1 | | | `, ' | | | · | Z () () () | 6-07187 |
| 08 | 2/17/81. | 1315 | | Χ. | Usainuse A | H \$ 100 | o' E. of | plant, b'deep | ' ' | | | | i) | | | | | 6-6789 |
| | | | | | | | <u> </u> | · | | | | | | | | | `- ' ` | , |
| • | | | | | | | | | | ļ | | | | | | · | , | |
| : - | | · | | | - | | | | | <u> </u> | | | | | | | | |
| | | | | | | | | | | , | ٠ | | | | | t | | |
| * | | | | | · | | | · | | | ' | | ٠ | | | | <u> </u> | <u>,,, </u> |
| | | | | | | | | | | | • | | | | | | | · |
| | | | | | | | · | | | | | · | | | | | • • • | |
| Relinquish | ed by: | Sibribuses Lens | 4 | 12, | | /Time /3 ⁻ -30 | | d by: (Signature | | Reli | nquish | ed by | (: (Sig | nature , | 9) | Date | /Time | Received by: (Signature) |
| Relinquish | ed by: (| Signature) | 1 | | Date / | Time | Received | d by: <i>(Signature)</i> | | Reli | nquish | ed by | : (Sig | nature | 9) | Date | /Time | Received by: (Signature) |
| Relinquish | ed by: (| | | | | Time | (Signatur | d for Laborator | · . | | Date | /Tin | ne ' | R | emark Bo † | s the lot # | 641 | 118032 |



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION VI

1201 ELM STREET DALLAS, TEXAS 75270

| 12 | 117/ | 184 | |
|-----|------|-----|--|
| (D) | ate | | |

RECEIPT FOR SAMPLES

| NAME | AND | TITLE | OF | EPA | REPRESENTATIVE: |
|------|-----|-------|----|-----|-----------------|

Hunt Chapman

EtE chamist

(Signature)

SAMPLES COLLECTED:

| SAMPLE NUMBER TIME | PLACE COLLECTED TY | PE VOLUME | SPLIT S. REQUESTED | AMPLE PROVIDED |
|-------------------------------|--|---------------------------------------|-----------------------|-------------------|
| Sta 01 1035- 1046 1105- | Nu corner of | il pint | - yea | -ys |
| 03 1130 1145- | No corner | · · · · · · · · · · · · · · · · · · · | 1, | <u>u</u> |
| 05 1215 | in drainage liter | | | |
| 06 1225 | Si of Harry Rd on E side of PR tracks | , u | u | и |
| 07 1268- | Waste moternal from 1 N side obland fill | , 4 | <u> </u> | 1. |
| 08 1315 | Drailinge path of 11 1000 ft E ob plant 104 deep | <u> </u> | <u>n</u> | <u> </u> |

ACKNOWLEDGEMENT OF FACILITY REPRESENTATIVE

The undersigned acknowledges that the samples described above have been collected.

NAME, TITLE AND ADDRESS OF FACILITY REPRESENTATIVE:

Signature)

Dec 17, 1984
(Date)

DISTRIBUTION:

One copy facility representative One copy for inspector's records

Original to Regional Office



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION VI

1201 ELM STREET DALLAS, TEXAS 75270

| 12/17/84 | |
|----------|--|
| (Date) | |

RECEIPT FOR SAMPLES

| NAME AND TITLE OF EPA REPRESENTATIVE: | Hunt | Chapman |
|---------------------------------------|------|---------|
|---------------------------------------|------|---------|

EtE chamist

(Signature)

SAMPLES COLLECTED:

| SAMPLE NUMBER | PLACE TIME COLLECTED TYPE VOLUME | SPLIT SA | AMPLE PROVIDED |
|------------------|---|-------------|-------------------|
| Sta 01 | 1035- 10'east of 9" loop Soil / pint 1105- Nu corner of 1 | - yes | yes- |
| 03 | 113 landford 94 leep " (1) 115- 50/Not sitent 4 (1) 1120 New corner | | <u>lı</u> |
| 04 | 1155 un dranage litch 1215 Drainage path | | |
| 05 | 1225 - 5, of Hardy Rd on // | | |
| 07 | 1258- Weste material from 1, 1, 1, 1306 N Side obland fill | <u> </u> | 1. |
| 04 | 1310 Drainage path 2 11 11 1315 1000 ft Eabplant 11 | <u>. it</u> | +1 |
| 06 | 1258- Weste material from 1, 1, 1, 1306 N side of land fill 1, 11 | <u> </u> | 1. |

ACKNOWLEDGEMENT OF FACILITY REPRESENTATIVE

The undersigned acknowledges that the samples described above have been collected.

NAME, TITLE AND ADDRESS OF FACILITY REPRESENTATIVE:

Sommis thombera (Signature) Dec 17, 1984
(Date)

DISTRIBUTION:

One copy facility representative One copy for inspector's records Original to Regional Office



Photographer / Witness

Hunt Chapman / Banard Gua

Date / Time / Direction

12/17/84 - 1045 - Southwest

Comments: Sampling Station

Olon the east side

of the landfill.

Photo # 2



Photographer / Witness

Hunt Chapman Beinan Cousin

Date / Time / Direction

12/17/84 - 1113 - facing East

Comments: Sampling Station 02

on the NW corner of the

landfill.

Photo # 3



Photographer / Witness

Hunt Chapman Buran Courant

Date / Time / Direction

(2/17/84 - 1120-facing SE.

Comments: Station 03 50'

north of site at the NW

corner. (Off-site station)

Photo # 4



Photographer / Witness Hunt Chapman Barred Cousin Date / Time / Direction 12/17/84-1155 - facing SE comments: Station 04 on the west side of landfill in drainage ditch.
Photo #5

Photographer / Witness

| Date / Time / | Direction |
|---------------|-----------|
| Comments: | |
| | |
| | |

Photographer / Witness

Huat Chapman/Bernad Cousin Date / Time / Direction 12/17/84 - 1220 - facing West Comments: Station 05, Drainey path off site 50ft west of property line.
Photo #6



Photographer / Witness

Hunt Chapman / Bernard Courses

Date / Time / Direction

12/17/84 - 1235 - facing North


Comments: Station Ob 75 ft.

South of Hardy Rd on the

East side of railroad tracks.

Photo # 7

Photographer / Witness



| Section of the sectio |
|--|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| 1 |
| |
| 7 |
| |
| |
| |
| |
| |
| |
| |
| Park the state of |
| |
| |
| AKIN - AKIN TO THE TOTAL TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TOT |
| |
| G. C. S. W. C. T. W. C. C. |
| |
| The state of the s |
| The state of the s |

Photographer / Witness

Hunt Chopman Buran Causin

Date / Time / Direction

12/17/84-1305-facing South

Comments: Station 07 North

Side ob landfill.

Photo #8



Photographer / Witness

Hunt Chapman / Barrand Causin

Date / Time / Direction

12/17/84-1315-facing south

Comments: Station 08. Drain
age path approx. 1000 ft.

East & plant.

Photo # 9

| Photographer / Witness |
|-------------------------|
| Date / Time / Direction |
| Comments: |
| |
| · |
| · |
| Photographer / Witness |
| Date / Time / Direction |
| Comments: |
| |
| |

file

ECOLOGY AND ENVIRONMENT, INC.,

REGION VI

- MEMORANDUM

TO: Keith Bradley, Region VI RPO

FROM: Hunt Chapman, Chemist

THRU: K.H. Malone, RPM

DATE: December 12, 1985

SUBJ: Sampling inspection at U.S. Gypsum, Corsicana, TX. (TX10022)

TDD# R06-8507-20

On August 27, 1985, the FIT (Hunt Chapman and Francis Verhalen) conducted an off-site sampling inspection at U.S. Gypsum in Corsicana, TX. The activity at this site is the manufacture of wool insulation from steel mill slag and basalt. Seven low soil samples were taken and analyzed for metals only.

The sample results from an earlier sampling inspection (December 17, 1984) conducted by the FIT, did not clearly define the ambient soil background concentrations for metals in the area. The purpose of the August 27th sampling inspection was to take additional off site soil samples to better characterize these background concentrations and specifically determine if the levels of zinc at Stations 05 and 06 represent significant contamination.

Table 1 lists the sampling locations and a description of their proximity to the site. Stations 01-08 were sampled on December 17, 1984 and Stations 10-16 were sampled on August 27, 1985. The stations are also shown on the site sketch included in this report.

From the samples taken on August 27th, Stations 14, 15 and 16 seem to be representative of background values for this area. Stations 10, 11, 12 and 13 contain elevated levels of zinc and lead. Stations 10 and 11 also contain elevated levels of arsenic. The spike recovery for this compound is low indicating that the true Arsenic concentrations may be higher. Station 10 appears to have an elevated level of mercury, however, the lab blank and rinsate blank contain mercury indicating cross contamination.

Considering the proximity of these stations to the site, the elevated levels of lead and zinc tend to support the earlier hypothesis (June 13, 1985 memo from Hunt Chapman to EPA) that these elevated levels may represent contamination via air emissions from the U.S. Gypsum site. Stations 10 and 11 are north of the U.S. Gypsum plant and Stations 12 and 13 are south of

the plant. Considering the prevailing winds in the area (from the south or north), the areas of these stations would be logical areas of particulate deposition from stack emissions. Fugitive dust from the landfill is also a consideration as a source of particulate contamination. While sampling, the FIT observed dust from trucks on the landfill dumping waste material.

In a site inspection report dated August 25, 1983, it was stated that U.S. Gypsum filters their stack emissions for particulates and SO_2 in accordance with permits they hold through the Texas Air Control Board. It is recommended that the Texas Air Control Board be contacted in order to review the U.S. Gypsum stack emission permit and monitoring data if available. If possible, an estimate of the impact of the stack emissions relative to the concentrations found during sampling should be done to determine if all of the contamination is coming from the stack or if part of it could be from an additional source, i.e. fugitive dust from the landfill. In addition, since the zinc concentrations are significant, more off-site sampling should be conducted to determine the extent of contamination to the north and south of the site. This sampling should include surface soil and ambient air monitoring to fully assess the health effects of the contamination.

As stated earlier, the additional off-site sampling on August 27th was done to determine if contamination had reached Stations 05 and 06. From this data, it appears that it has. However, since these samples were taken in probable drainage pathways, it can not be asertained whether or not it is a result of run-off or air depostition. It should be noted that Station 05 is in the drainage pathway used when two ponds on site were drained and filled by U.S. Gypsum. It is not known what was in the ponds, but the drainage elicited complaints from neighbors.

An additional task in this TDD was to check the State files and report on U.S. Gypsum's RCRA status. The only item in the State's files on U.S. Gypsum is the Part I application submitted by them on June 6, 1983. A copy of this application is included in this report.

Recommendations:

- 1) Obtain a copy of U.S. Gypsum's air permit and monitoring data from the Texas Air Control Board.
- 2) Take additional soil sample to determine the extent of contamination. Take air samples around the landfill to check for air contamination.

TABLE I SAMPLES TAKEN ON DECEMBER 17, 1984

DESCRIPTION

| Station 01 | 10 feet east of landfill (6" deep) |
|-------------|---|
| Station 02 | Sample of the waste material from the NW corner of the landfill |
| Station 03 | 50 feet north of the site at the NW corner |
| Station' 04 | West side of the landfill in drainage ditch (10 feet from the edge of the landfill) |
| Station 05 | Drainage path off-site approximately 50 feet west of the property line |
| Station 06 | South of Hardy Road 6 feet east of RR track |
| Station 07 | Sample of waste material from the north side of the landfill |
| Station 08 | Drainage path on-site approximately 1000 feet east of manufacturing plant |

SAMPLES TAKEN ON AUGUST 27, 1985

| Station 10 | 1/4 mile north of site and 100 feet east of RR track |
|------------|---|
| Station 11 | Approx. 1/2 mile north of NE corner of landfill |
| Station 12 | Approx 1/4 mile south of site and 50 feet east of RR tracks next to barbed wire fence on a hill |
| Station 13 | Approx 1/4 mile south of Hardy Ave in vacant lot behind mini storage ware-house |
| Station 14 | 500 feet west of Highway 75 behind East Texas District Office of the Pente- costal Church of God. |
| Station 15 | Approx 2 miles down Fife Road behind Kingdom Hall of Jehovah's Witnesses |
| Station 16 | Directly east of Hardy Road approx. 100' east and across Highway 75 |

CASE NUMBER: . 4788

| SITE NAME/CO | DE:U.S. G | vpśum | | | | 0011051176 | 3471046 | , , | | | |
|---|-------------|-------------------|-------------|---------------|--------------|---|--------------|--------------|----------------|------------|---------------|
| | TX1002 | 2 | | | | CONCENTR | RATIONS (| ppm) | · * | ALINYEMY - | BARVARAITUR Y |
| PARAMETER | | | - AMPIENI | BACKGROUND 1. | | | | | | | |
| • | , | 1 | f | | .1 | 1 ' | 1 | 1 | | Western | Eastern |
| ı | MFB362 | MFB363 | MFB364 | MFB365 | MER366 | MFB367 | MEDZER | MBB3K0 | 1 | U.S. 2. | U.S. 2. |
| Matrix type | SOIL | SOIL | 5014 | SOLL | SOIL | SOIL | 501L | SOIL | | 5011 | 3011 |
| Aluminum | 1910E | 4110E | | 5130E | 4380E | 2500E | | 41E | | 58,000 | 33,000 |
| Antimony | 35R | 23R | <u> </u> | 8.1R | 7.4R | 3.2R | | I.IR | | .47 | .52 |
| Arsenic | 48 | 31 | 41 | 90 | 81 | .38 | 43 | | | 5.5 | 4.8 |
| Bariun | | 1 | | 12× | J-88 | , , , , , , , , , , , , , , , , , , , | 1 | 1 | | 580 | 290 |
| Beryllium | <u> </u> | | | | 1 | | | | | 0.68 | 0.55 |
| Cadinium | | | | | ' | , | | | | | 1 |
| Calcium | 2070 | 2830 | | | 2970 | 3430 | 2950 | 82 | | | |
| Chromium | | | 4.6 | 11 | ' | | | | - | 41 | -33 |
| Cobalt | | | | | | | | | | 7.1 | 5.9 |
| Copper | 6.7 | 3.7 | | 6.4 | | | 3 | <u> </u> | | 21 | 13 |
| Tron | 2570 | 5210 . | | 11,400 | 4330 | | 4270 | i | | 21,000 | 14,000 |
| [ead | 178 | 155 | 44 | 101 | 32 | | . 38 | | | 17 | 14 |
| Maynesium | 322 | 554 | 369 | 771 | 629 | | 191 | | | | |
| Hanganese | 193 | 44 | 34 | 125 | 65 | 80 | 105 | | | 380 | 260 |
| Hercury + | 0.11 | 0.059 | 0.073 | 0.079 | 0.05 | 0.03 | 0.57. | 0.025 | | 0.046 | 0.081 |
| Nickel | ٠ | , | | | ' | <u> </u> | , | | | 15 | 11 |
| Polassium | 225 | 306 | 312 | 905 | 405 | 301 | | | | | |
| Selenium | | | | | | | | | | .23 | .30 |
| Silver | | | | | | | | | | - | |
| Sodium | 459 | 494 | 475 | 586 | 534 | 475 | 505 | 343 | | | <u> </u> |
| Thallium | | | | | ' | | | | | 9.1 | 7.7 |
| Tin | | | | | | | | | | .90 | .96 |
| Vanadium | | | | 21 | | ' | <u> </u> | | | 70 | 43 |
| Zinc | 536 | 303 | 172 | 216 | 57 | 71 | 66 | | | 35 | 40 |
| Cyanide | | | | | | | | | | Value | s obtained fr |
| Station No. Sample | 10 | 11 40 40 5 | 12 | 13 | 500/1/05 | 15 | 16 | 17 | | | Concentration |
| Station | 14 MI. N.UT | 1/2 MI. N.OF | 1/4 M 1.3. | 14 MI - 3. | 1 7 MM 24 | LA MILES | 100 F.UF | RINSATE | | | Other Surfac |
| Location | 1 / | N.E. GORNER OF | A ./A ./! | 1445 411 | IDEILINA I | FIFE RD. | HWT 10, | BLANK | 1 [| 1 | of the Conte |
| LOCALIUM | 100 E. OF | LANDFILL | CARDSO. | VACANT | CHURCH | PIPE NU! | HARDY | Druwy 1 |] | | ited States". |
| | R.R.TRACKS | י ועייים | TRACKS | LOT | OFFICE | 1 ' | RD. | 1 / | | | 4. U.S.G.S. |
| •• | l | | 1,14,4,5 | 1~~' | 1 | 1 ' | (| 1 | 1 1 | dered 130 | <u> </u> |

2. Reference for East West Division is the 96 W longitudinal line which bisects Region V


dated 1984. U.S.G.S. Professional Paper 127

E-indicates a value estimated or not reported due to the presence of interference.

R-spike sample recovery is not within control limits. *-duplicate analysis is not within control limits.

⁺⁻ LAB BLANK WAS 0.06 PPB .





11

- 12/17/84 sampling

■ - 8/27/25 sampling

■ 12

12/17/84 -sampling

CASE NUMBER: 3663

SITE NAME/CODE: U.S. Gypsum Co.

| | | | | | | CONCENT | RATIONS (| (ppm) | | • | | |
|---------------|--|----------|------------|--------------|---------------------------------------|------------------|-----------|--|-------------|---|--------------------|--------------------|
| | | | | Ambient Bac | kground 1. | | | | | | | |
| PARAMETER | MF1865 | MF1866 | MF1867 | MF1868 | MF1869 | MF1870 | MF1871 | MF1872 | MF1873 | | Western U.S. 2. | Eastern U.S. 2. |
| Matrix Type. | Soil | Soil | Soll | Soll | Soil | Soil | 5011 | Soll | Blank | | Soil | Soil |
| Aluminum | 9640 | 41500 | 10200 | 13100 | 6480 | 10700 | 40400 | 14800 | | | 58,000 | 33,000 |
| Ant imony | 1 | 31 | | | | | 241 | | | | .47 | .52 |
| Arcenic R | | 558 | 9.6 | 40 | 18 | 9.8 | 6780 | 110 | 1 | | 5.5 | 4.8 |
| Barium | 35 | 415 | 378 | 104 | 118 | 206 | 273 | 133 | .74 | | 580 | 290 |
| Beryllium | | 5.6 | 1.2 | 1.2 | | 1.2 | 5.0 | 1.5 | | | 0.68 | 0.55 |
| Cadmium | | | | | | | 1 | 1 | | | ₹1 | (1 |
| Chronium | 9.9 | 61 | 6.5 | 13 | 5.8 | 16 | 55 | 9.7 | | • | 41 | 33 |
| Cobalt | | 121 | 4.8 | 8.8 | | 5.6 | h40 | | | | 7.1 | 5.9 |
| Copper | 1 | 774 | 16 | 92 | | 37 | 1050 | 10 | 1 | | 21 | 13 |
| Iron | 7310 | 62700 | 8850 | 11900 | 6190 | 12900 | 60600 | 9260 | 9.4 | | 21,000 | 14,000 |
| Leed R | | 1930 | 50 | 444 | 14 | 34 | 21900 | 120 | | | 1 17 | 14 |
| Manganese | 24 | 1660 | 140 | 190 | 147 | 143 | 1290 | 203 | | | 380 | 260 |
| Hercury | | | | 1 | | | | 1 | 1 | | 0.046 | 0.081 |
| Nickel | | 40 | 1 | | · · · · · · · · · · · · · · · · · · · | | 65 | | | | 15 | 11 |
| Selenium R | | 1 | † · | | | | 18 | | 1 | | .23 | .30 |
| Silver | | 1 | | | | | | | tt | | - | • |
| Thallium | | 1. | 1 | | | | † | | 1 | | 9.1 | 7.7 |
| Tin R | | 170 | | 27 | | | 229 | | | | .90 | .96 |
| Vened ium | 16 | 52 | 12 | 18 | 11 | 20 | 43 | 20 | I | | 70 | 43 |
| Zinc *R | 47 | 7490 | 233 | 1100 | 174 | 181 | 18300 | 700 | 1 | | 55 | 40 |
| Cyanide | | | | | | | 1 | | · · · · · · | | | |
| Calcium | 2950 | 149000 | 9510 | 16600 | 9060 | 7760 | 145000 | 5980 | | | | |
| Magnesium | 1180 | 21300 | 1620 | 2830 | 1080 | 2360 | 22000 | 1690 | 1.7 | | | |
| Potassium | 995 | 5240 | 835 | 1530 | 1720 | 1330 | 4530 | 1900 | 324 | | | |
| Sodium | 256 | 2030 | 104 | 273 | 189 | 147 | 2200 | 249 | | | | |
| Station No. | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | Blank | | 1. Values | obtained fro |
| | 10 EAST | WASTE | 50 NORTH | WEST SIDE | DRAINAGE | SOUTH OF | WASTE | DRAINAGE PATH ~ | RINSEATE | | | ncentration |
| | OF | | OF SITEAT | IN LANDELL | SITE CALL | DU EAST | FROM N. | 1000 E.OF | BLANK | | | ther Surface |
| Sample Statio | ロレタンOF/L/ | LANDFILL | W.P.CUAPER | DITCH | INE PANPART | ds <i>ide of</i> | SIDE OF | DLANT |]] | | | f the Conte |
| Location | <u>.i</u> | LANDFILL | <u> </u> | | LINE | R.A.TRACK | LANDFILL | <u>. </u> | <u> </u> | | minous Unit | ed States", |

E - indicates a value estimated or not reported due to the presence of interference.

Materials of the Conter-

dated 1984. U.S.G.S. Professional Paper 1270.

2. Reference for Best/We Division is the 96°W long itudinal line which bise Region VI.

R - spike sample recovery is not within control limits.

^{* -} duplicate analysis is not within control limits.

| | PA | RT I : GENERAL | . INFORMATION | v #3 | 3331 |
|------|---|---------------------------|--------------------------------|---------------------------|---------------------|
| ^ D | Does your firm generate Industrial Solid Waste | e(s) as defined in the TC | OWR Rules? | | |
| В. С | Company Name United States Gyp | sum Company | | | |
| P | Plant - P.O. Box | | Corsicana . | TExas | 75110 |
| | P.O. Box | | City Cors1cana | State Texas | Zip 75110 |
| P | Plant - Street Address | _ | City | State | Zip |
| ŀ | leadquarters (if other than above): | | | | |
| | 101 South Wacker Drive | | Chicago | Illinois | 60606 |
| | P.O. Box/Street | | City | State | 2ip |
| C. C | None Location | ntrolled by your firm o | other than plant or i | manufacturing site listed | in Section B above: |
| 2 | · | • | | | · |
| | Location | City | County | State | Zip |
| 3 | Location | City | County | State | Zip |
| D. | Number of persons employed: | 80 U.S. EPA | A I.D. Number N | ONE | |
| F. (| R. J. Skewes Works Name Title Give numbers of any TDWR permits, orders, None | | Phone for, by your firm (sp | Area Code Tel | 1 7 |
| G. I | | | | | |
| H. I | certify the information herein is complete and the second | nd accurate to the best | of my knowledge: | 6/6/83 | |

TDWR-0060 (Rev. 2-15-83) Page 2 of 4 Poble

6



| WASTE DESCRIPTION | DISPOSITION | | | | |
|--|---|--|--|--|--|
| A. WASTE NO. 1 OF 3 B. SIC CODE (if known) 3296 | I. NUMBER OF OFF-SITE WASTE SHIPMENTS | | | | |
| C. FORM (check one) Solid | J. On-SITE WASTE MANAGEMENT FACILITIES FACILITY USE: Storage Treatment Recovery Disposal | | | | |
| Solubility Insoluble (g/100g H ₂ 0) Corrosion D.N.A. (mm/yr) Toxicity D.N.A. (LD ₅₀ , LC ₅₀ , LDL ₀) Flash Point DNA C G. DESCRIPTION (major components): Solid waste from manufacture of mineral fiber insulation. Chemistry and appearance | K. WASTE FACILITY DESCRIPTION: (indicate Type, Size, Capacity) On site landfill. Approximately | | | | |
| | 275770 pm | | | | |
| A. WASTE NO. 2 OF 3 B. SIC CODE (if known) 3296 | I. NUMBER OF OFF-SITE WASTE SHIPMENTS PER MONTH: None | | | | |
| C. FORM (check one) X' Solid | J. ON-SITE WASTE MANAGEMENT FACILITIES FACILITY USE: Storage Treatment Recovery Descriptions | | | | |
| Toxicity | K. WASTE FACILITY DESCRIPTION: (indicate Type, Size, Capacity) Same as waste #1 | | | | |
| H. Is this a hazardous waste as defined by the U.S. EPA? | (1 | | | | |
| A. WASTE NO. 3 OF 3 B. SIC CODE (if known) 3296 C. FORM (check one) D. QUANTITY GENERATED PER MONTH: | I. NUMBER OF OFF-SITE WASTE SHIPMENTS PER MONTH: 10 | | | | |
| Solid | J. [] ON-SITE WASTE MANAGEMENT FACILITIES FACILITY USE: [] Storage [] Treatment [] Recovery [] Disposal | | | | |
| Solubility D.N.A. (g/100g H ₂ 0) Corrosion D.N.A. (mm/yr) Toxicity D.N.A. (LD ₅₀ , LC ₅₀ , LDL ₀) Flash Point D.N.A. °C G. DESCRIPTION (major components): Waste paper, used pallets and general plant trash. | K. WASTE FACILITY DESCRIPTION: (indicate Type, Size, Capacity) Municipal sanitary landfill. | | | | |
| 1. Is this a hazardous waste as defined by the U.S. EPA? Yes (3 No (11 "yes", provide EPA hazardous waste number in spaces below) | | | | | |

10-1

DW0550

TEXAS DEPARTMENT OF WATER RESOURCES NOTICE OF REGISTRATION INDUSTRIAL SOLID WASTE GENERATION/DISPOSAL

THIS IS NOT A PERMIT AND-DOES NOT CONSTITUTE AUTHORIZATION OF ANY WASTE MANAGEMENT ACTIVITIES OR FACILITIES LISTED BELOW. REQUIREMENTS FOR SOLID WASTE MANAGEMENT ARE PROVIDED BY TEXAS ADMINISTRATIVE CODE SECTION 335 OF THE RULES OF THE TEXAS DEPARTMENT OF WATER RESOURCES (TDWR). CHANGES OR ADDITIONS TO WASTE MANAGEMENT METHODS REFERRED TO IN THIS NOTICE REQUIRE WRITTEN NOTIFICATION TO THE TOWR.

DATE OF NOTICE: 09-30-83

REGISTRATION DATE: D9-30-83

REGISTRATION NUMBER:

EPA I.D. NUMBER: TXDD07354392

THE REGISTRATION NUMBER PROVIDES ACCESS TO STORED INFOR-MATION PERTAINING TO YOUR OPERATION. PLEASE REFER TO THAT NUMBER IN ANY CORRESPONDENCE.

COMPANY NAME:

P.O. BOX 1948

CORSICANA, TX.

75110

GENERATING SITE LOCATION:
HARDY AVENUE, CORSICANA

CONTACT PERSON: R.J. SKEWES

PHONE: (214) 874-4781

NUMBER OF EMPLOYEES: 5D - 99

TOWR DISTRICT: 04

REGISTRATION STATUS: ACTIVE

HAZARDOUS WASTE STATUS: NON-HANDLER

I. WASTE GENERATED:

| NUMB | | CLASS | CODE | DISPOSITION | ••• |
|------|---------------------------------------|-------|--------|-------------|-----|
| 001 | INSULATION (MINERAL FIBER) MFG WASTES | 11 | 275980 | ON-SITE | |
| 002 | INSULATION, MINERAL FIBER | 11 | 275990 | ON-SITE | |
| 003 | PLANT REFUSE, GENERAL MISC. | II | 279760 | OFF-SITE | |

- II. SHIPPING/REPORTING: NOT APPLICABLE
- III. ON-SITE WASTE MANAGEMENT FACILITIES:

PAGE

2

NOTICE OF REGISTRATION (CONTINUED) REGISTRATION NUMBER: 33331 COMPANY NAME: UNITED STATES GYPSUM CO.

STATUS FAC NO. FACILITY

01 LANDFILL DISPOSAL OF WASTE NUMBER (SF 001, 002 ACTIVE

UNLESS OTHERWISE STATED ABOVE, FACILITIES ARE LOCATED AT HARDY AVENUE, CORSICANA COUNTY OF NAVARRO

IV. RECORDS: NOT APPLICABLE

THAT Your Phone Number (Very Important) To (Recipient's I plant's Phone Number (Vary Important) Department/Floor No. ENVIRONMENT INC 3501 City BALLAS TX MOLD FOR MCK-UP AT THIS FERERAL EXPRESS ADDRES Street Address (See Service Quide of Cull 800-238-5355) YOUR BILLING REFERENCE INFORMATION FIRST JUNE VS CHARACTERS WILL APPEAR ON INVOICE) Federal Express Use છ Base Charges Bill Recipient's FedEx Acct. No. 1 PAYMENT BEFORE Oty Chia) FedEx Acct. No. or Major Credit Card No. DELIVERY AND SPECIAL HANDLING CHECK SERVICES REQUIRED WALLEE VALUE (See right) ZIP *Zip Code of Street Addr **SERVICES** CHECK ONLY ONE BOX Ongsn Agent Charge ORITY I OVERNIGHT LETTER origing to the Pectaging grant? ŲŪ ROLD FOR PIER-UP Give the Federal Express address where you want package hald in Section III at right. YOUR DECLARED YALUE " OVERNIGHT DELIVERY DANKET ON LESS 2 USING OUR PACKAGING
2 12" X 150" installs for no more than \$1.00 per package is physical base or demage, unlaise you off in all self Values to the list and document legister is the event of a claim. We charge 30% for if \$100 of declared value up to the major nour Severe chard, Declared value restriction in the tock of the Shaper's Copy of this artist. Declared or management of performs or management of performs or management performs or management. 2 MILITER WEETDAY Other 3 Overlight Box A RESTRICTED ANTICLES SERVICE (P-1 and 4 Demont lice 8 Standard As Pedagos only Bota charge at 5 Standard Res Pedagos only Bota charge at 5 Extra Charge acceptancy SERVICE (SSS) (Extra charge accepts.) Shipper's Door

Regular Stop

On-Call Sto **Total Charges** STANDARD AIR - DELAY 5 Delivery not take then me is always a nisk of late delivery of non-delivery. In the mit of a late delivery Féderal Exprises will, at your coquest, and all larasportation charges paid. See back of Shipper's by of this alfall for luriture information. 6 DON ACE_ SERVICE COMMITMENT 7 OTHER SPECIAL SERVICE

Date/Time For Fede

al Express Use

8 🔲

9 artimony micri-er de entratony deor-eri (Extre charge applies) CONSEQUENTIAL DAMAGES

not be responsible or lightle for any loss or day glrom delay, non-delivery or damage to a pacas noted above. The includes loss of sales, inc profits, attorneys less and other costs, but to freese terms. Such damages are called "or of freese terms. Such damages are called "or PART

#2041738901 FEC-S-751-1000 REVISION DATE


10/84 PRINTED U.S.A. SRC

ENVIRONMENTAL PROTECTION AGENCY Office of Enforcement


REGION 6

First International Bidg., 1201 Eim St.

| | | ` | | · | CHAIN | OF CUST | <u>. UU</u> | The | CUR | | | | Dallas, Texas /52/0 |
|--|---------------------------|---------------------|--|------------------|---|-----------------|---------------|---------|---------------|-----------|--------|---------------|--------------------------|
| PROJ. I | NO. F | PROJECT | ΓNA | ME | | | | | | 7 | 7/ | 7777 | Na. |
| TX/00 | 22 | U.S | ·.E | i YF | SUM. | NO. | | | | // | / /. | | , |
| SAMPLE | S: (Sign | tyrden | | , | | OF | | .) | / / | / /. | // | | |
| | Hum | * C | R. | سم | ~~~ | CON- | | | Z/ . | // | | | REMARKS |
| - | | • | | 9 | | TAINERS | ۱, | | 7 | | // | | |
| STA. NO. | DATE | TIME | COMP | GR | STATION LOCATION | . | | Man | \angle | | | TAG# | ITF ≠ |
| b | 867/8 | 1030- | | X | of RR tracks | | Х | | | | | 6-10756 | HFB 362 |
| | 8/27/89 | 4-10 | | A | approx 12 mi N of NE Corner of | | X | | | | | 6-10757 | MFB 363 |
| 12 | 8/27/85 | HOE - | | X | approx year Sot site, ment so E | | X | | | | | 6-10758 | MFB 364 |
| | 8/27/85 | | | X | of RR tracks seprential in the dy Ave in vacant lot | , | × | | | | | 6-10759 | HFB 365 |
| | 3/27/85 | 1140- | | Y | Booff wof Hwy 75 behind Church | | Y | 1. | | | 1-1 | 6-10760 | MFB 366 |
| | 8/27/85 | Del Viv I consiste. | | + | approx 0.2 ml down File Read | | X | + | | - | | 6-10761 | MFB 387 |
| | | | 'I 1 | X | of Hardy Rd. | | X | + | | - | + | | |
| | 657/15 007/15 | 11.50-1 | | 1 1 | | | × | + | | -+ | | 6-10762 | HFB 366 |
| -14 | 807/15 | 1133 | | X | firm pate blank | - | | + | | | | 6-10763 | |
| · | | , | | ' | <u> </u> | | - | 4 | | | | · | |
| | | | <u> </u> | , h | | | | 4 | | | | | |
| | | j | <u> </u> | | · · · · · · · · · · · · · · · · · · · | <u> </u> | | 4 | | | | • | |
| | | · | | ' | | | | | | | | | |
| | | | | <u> </u> | | | | | | | | | r . |
| ï | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| Relinquish Hulf | ned by: 15 whele Ch | ignature) Br | - | 8 | Date / Time Received by: (Signature) Fideral Expres | | Reli | inquish | ied by | /: (Signa | ture) | Date / Time | Received by: (Signature) |
| Relinquish | | | | | Date / Time Received by: (Signature) | | Reli | nquish | ed by | : (Signa | ture) | Date / Time | Received by: (Signature) |
| | | | | | | | | | ` | · | | | |
| Relinquish | ed by: (\$ | igneture) | | | Date / Time Received for Laborator (Signature) | y by: | | Date | e /Tin | ∩e | Remark | 11 + 85176469 | 0 |
| | | Dist | ributi | on: O | Original Accompanies Shipment; Copy to Coordinat | tor Field Files | januara. Š | | | | 1 | | |



| Photographer / Witness Chapman / Verhalen |
|---|
| Date / Time / Direction |
| |
| 8-27-85/1030/Facing NE Comments: Station 10 |
| commences. Stato 10 |
| |
| |
| |
| |
| |
| Photographer / Witness |
| |
| Date / Time / Direction |
| |
| Comments: |
| |
| |
| |
| |
| |
| Photographer / Witness |
| Chapman / Verhalen |
| Date / Time / Direction |
| |
| 8-27-85/1045/Facing South Comments: Station 11 |
| Comments: Station 11 |
| |
| |
| |



| | Photographer / Witness |
|--|---|
| | Chapman / Verhalen |
| | Date / Time / Direction |
| | 8-27-85/1145/Facing East |
| | , , , |
| | Comments: Station 14 |
| | |
| | |
| | |
| | |
| | Photographer / Witness |
| | Thotographer / wreness |
| | Date / Time / Direction |
| | bace & Time / Birection |
| | |
| | Comments: |
| | |
| | |
| | |
| | |
| | -1 |
| | Photographer / Witness |
| | Chapman / Verhalen |
| | Date / Time / Direction |
| | 8-27-85 / 1200 / Facing South |
| | 8-27-85/1200/Facing South Comments: Station 15 |
| | confinences. States 15 |
| en en en en en en en en en en en en en e | |
| | |
| | |
| | |
| | |



Photographer / Witness

| Date / Time / Direction |
|--|
| Comments: |
| |
| |
| |
| Photographer / Witness Chapman / Verhalen |
| Date / Time / Direction |
| 8-27-85/12/0/Facing West |
| 8-27-85/12/0/Facing West Comments: Station /6 |
| |
| · · · · · · · · · · · · · · · · · · · |
| · · · · · · · · · · · · · · · · · · · |
| |
| |
| Photographer / Witness |
| Oct / Time / Dimention |
| Date / Time / Direction |
| Comments: |
| |

POTENTIAL HAZARDOUS WASTE SITE IDENTIFICATION AND PRELIMINARY ASSESSMENT

| REGION | SITE NUMBER (10 | be | |
|--------|-----------------|----|--|
| • | signed by Hq) | | |

6 TX 10022

| NOTE: 1 | This | form i | is compl | eted for | each p | otential h | azardous | wast | e site t | o help | set prio | rities fo | r site in: | spection. | The in | formation |
|-----------|--------|--------|-----------|----------|---------|-------------|----------|------|----------|--------|----------|-----------|------------|-------------|----------|-----------|
| submitted | d on t | his fo | orma is b | esed on | eveilel | ble records | and may | be u | pdated | on su | bsequent | forms a | s a resul | lt of addit | ional in | quiries |
| and on-si | te in | spect | ions. | | | | | | | | | | | | | |

GENERAL INSTRUCTIONS: Complete Sections I and III through X as completely as possible before Section II (Preliminary Assessment). File this form in the Regional Hazardous Waste Log File and submit a copy to: U.S. Environmental Protection Agency; Site Tracking System; Hazardous Waste Enforcement Task Force (EN-335); 401 M St., SW; Washington, DC 20460. I. SITE IDENTIFICATION A. SITE NAME B. STREET (or other identifier) United States Gypsum Company <u>Hardy Ave</u> C. CITY E. ZIP CODE F. COUNTY NAME D. STATE <u>Corsicana</u> Texas 75.000 Navarra G. OWNER/OPERATOR (if known) 2. TELEPHONE NUMBER 312) 321-3769 <u> F.P. May, Manager - Environmental Tech.</u> H. TYPE OF OWNERSHIP ☐ 1. FEDERAL ☐ 2. STATE ☐ 3. COUNTY ☐ 4. MUNICIPAL ☐ 5. UNKNOWN I. SITE DESCRIPTION Waste disposal area (landfill) on plant property. Wastes disposed from 1970-1975. J. HOW IDENTIFIED (i.e., citizen's complaints, OSHA citations, etc.) K. DATE IDENTIFIED (mo., day, & yr.) CERCLA Notification response - 1-084 6-8-81 L. PRINCIPAL STATE CONTACT 2. TELEPHONE NUMBER Unknown II. PRELIMINARY ASSESSMENT (complete this section last) A. APPARENT SERIOUSNESS OF PROBLEM X 5. UNKNOWN 1. HIGH 4. NONE B. RECOMMENDATION 1. NO ACTION NEEDED (no hazard) ___ 3. SITE INSPECTION NEEDED b. WILL BE PERFORMED BY: . TENTATIVELY SCHEDULED FOR: b. WILL BE PERFORMED BY: 4. SITE INSPECTION NEEDED (low priority) C. PREPARER INFORMATION CATT 2. TELEPHONE NUMBER 3. DATE (mo., day, & yr.) Gerard A. Gallagher II 214) 742-0661 1-18-83 III. SITE INFORMATION A. SITE STATUS Unknown . I. ACTIVE (Those Industrial or 2. INACTIVE (Those (Those sites that include such incidents like "midnight dumping" where sites which no longer receive municipal sites which are being used for waste treatment, storage, or disposal on a continuing basis, even if infreno regular or continuing use of the site for waste disposal has occurred.) waates.) quently.) B. IS GENERATOR ON SITE? (X) 2. YES (apocity generator's four-digit SIC Code): 3296

| | 1. | NO |
|---|----|----|
| ш | ١. | NO |

C. AREA OF SITE (in acres)

D. IF APPARENT SERIOUSNESS OF SITE IS HIGH, SPECIFY COORDINATES

1. LATITUDE (deg._min._eec.) 12. LONGITUDE (deg._min._eec.) Unknown Unknown

E. ARE THERE BUILDINGS ON THE SITE?

Manufacturing facility X 2. YES (specify):

Unknown

| Continued From From | ! | | | | | | | | | | | |
|-------------------------|--------------|-------------------------|-------|------------------------------|---------------|--|-----------------------|-----------|-----------|-----------------------|--------------|---------------------|
| | | - r | ٧. ر | CHARACTERIZATI | ОН | OF SITE ACTIVIT | Y | | | | | · |
| Indicate the major sit | e activity(i | es) and det | •ile | relating to each a | ctiv | vity by marking 'X' | in t | he app | rop | riate boxe | <u>.</u> | |
| A. TRANSPOR | B. STORER | | | C. TREATER | | | | y y | | DISPOSER | | |
| I. RAIL | | 1. PILE . 1. FILTRATION | | | | X | X I. LANDFILL | | | | | |
| 2. SHIP | | | | MPOUNDMENT | -+ | 2. INCINERATION | | | | 2. LANDFARM | | |
| 3. BARGE | | 3. DRUM | _ | | 4 | . VOLUME REDUCT | ION | | | S. OPEN DUMP | | |
| 4. TRUCK | | | _ | OVE GROUND | -+ | 4. RECYCLING/REC | | | | A. SURPACE IMPOUNDMEN | | |
| 8. PIPELINE | | | | LOW GROUND | -+ | | CHEM./PHYS. TREATMENT | | | 3. MIDNIG | | |
| OTHER (specify): | · . | 6. OTHE | A (4 | pecity): | -+ | 6. BIOLOGICAL TRE | | | | 6. INCINE | | |
| | ļ | | | · · · } | f | 7. WASTE OIL REPRO | | | | | | NOITSELLI GHUC |
| | į | | | į. | -+ | B. SOLVENT RECOVE B. OTHER (specify): | ERY | | | S. OTHER | (4 P | ecity): |
| | ĺ | | | Ì | | • | | .] | | | | |
| E. SPECIFY DETAILS | OF SITE AC | TIVITIES A | S-N | EEDED Plant i | is | a manufactur | er | of n | nin | neral f | ib | re. Waste |
| was disposed | of in a | landfi | 11 | | | | | | | | | |
| and along the | e Texas | and New | 0 | rleans Railro | oac | d. Recommend | | that | t 1 | the FIT | h | e tasked to |
| conduct a rec | onnaissa | nce ins | pe | ction of this | 5 5 | site to deter | mi | ne th | ne | hazard | p | otential. |
| A. WASTE TYPE | | | | V. WASTE RELAT | ED | INFORMATION | | | | | | |
| 1. UNKNOWN | | ; | . 50 | DLID4 5 | LU | DGE | ias | | • | | | |
| B. WASTE CHARACTE | RISTICS | | _ | | <u> </u> | | - | | | | | |
| | 2 CORROS | IVE 13 | . 10 | NITABLE TAR | AD | IOACTIVE | ll G) | 1LY VO | LA | TILE | | |
| = · = | 7. REACTI | | | = | | MMABLE | | | | | | |
| _ | _ | _ | | · . | | | | | | _ | | |
| 10. OTHER (specif | י:(דל | | | | | | | | | · | | |
| C. WASTE CATEGORIE | | . Consider in | | | | todas em belem | | | | | | |
| 1. Are records of wast | es sammabre | 2 Specuy ite | ***** | such as manusets, in | I V ST | muse, em. below. | | | | • | | |
| Unknown | · | | | | | | | | | | | |
| 2. Estimate the amo | unt(specify | unit of me | asu | re)of waste by cate | go | | ate | which | W | stes are p | ret | sent. |
| A. SLUDGE | AMOUNT |) L | - | c. SOLVENTS | | d. CHEMICALS | 1 | e. S | _ | IDS | | f. OTHER |
| Unknown | Unkno | wn | | Unknown · | - | Unknown | | Ünknown | | Unknown | | |
| UNIT OF MEASURE | UNITOPHI | EASURE | Un | IT OF MEASURE | űi | STOP MEASURE | UNIT OF ME | | MEASURE | | U | IT OF MEASURE |
| - |] | | | | İ | | | | | | l | |
| X' (1) PAINT, | X. (1) OIL A | | .x. | (1) HALOGENATED | '× | (1) A CIDS | ٠x | (1) FLY | | | ٠x | |
| PIGMENTS | WAST | | | SOLVENTS | \Box | 11, 20103 | Γ | 1.,,,,,,, | | | \Box | THARMACEUT. |
| (2) METALS SLUDGES | (2) O THE | ER (epocity): | | (2) NON-HALOGNED SOLVENTS | - | (2) PICKLING LIQUORS | | (2) A 5 E | 3 E 3 | TOS | | (2) HOSPITAL |
| | · · | | | (=) 0 T) (= 0 (= 0 (= 0)) | T | | T | (2) MIL | | | Г | |
| (3) POTW | 1 . | | ┝╌ | (3) OTHER(specily): | - | (3) CAUSTICS | | | | FAILINGS | | (3) RADIOACTIVE |
| 14) A LUMINUM SLUDGE | | | | | Γ | (4) PESTICIDES | | (4) FE | RRG TG | US . WASTES | Г | (4) MUNICIPAL |
| (8) OTHER(*pecify): | | | | | r | (8) DYES/INKS | T | (a) NO | N- F | ERROUS . WASTES | L | (8) OTHER(specify): |
| | | | | | \vdash | | ╀ | 3 | | (specity): | | |
| | | | | | _ | 16) CYANIDE | 厂 | 1 | | | | |
| | | | | | Х | (7) PHENOLS | | | | | • | |
| | } | | | | Γ | (8) HALOGENS | 1 | | | | | • |
| , | | | | | \vdash | (9) PCB | | | | | | |
| | | | | | L | | 1 | | | | | |
| | | • | | | X | 1101METALS | } | | | | | |
| | | | | | | אנווסדאפ <i>ה(יסיינוד)</i> formaldehvde | 1 | | | ı | | |

V. WASTE RELATED INFORMATION (continued)

3. LIST SUBSTANCES OF GREATEST CONCERN WHICH MAY BE ON THE SITE (place in descending order of hexard). Arsenic, lead, phenol, formaldehyde

4. ADDITIONAL COMMENTS OR NARRATIVE DESCRIPTION OF SITUATION KNOWN OR REPORTED TO EXIST AT THE SITE. Operator indicates waste to be heavy metals (lead, arsenic)

| VI. HAZARD DESCRIPTION | | | | | | | | | | |
|---|--|---|----------------------------------|-----------------------|--|--|--|--|--|--|
| A. TYPE OF HAZARD | B. POTEN- TIAL HAZARD (mark 'X') | C. ALLEGED INCIDENT (mark 'X') | D. DATE OF INCIDENT (ma,day,yr.) | E. REMARKS | | | | | | |
| 1. NO HAZARD | | 100 | | 《美国教育》(1985年)) | | | | | | |
| 2. HUMAN HEALTH | | | | | | | | | | |
| 3. NON-WORKER 3. NON-WORKER | | | | | | | | | | |
| 4. WORKER INJURY | | | | | | | | | | |
| B. CONTAMINATION B. OF WATER SUPPLY | | | | | | | | | | |
| 6. CONTAMINATION 6. OF FOOD CHAIN | | | | · | | | | | | |
| 7. CONTAMINATION OF GROUND WATER | | | | • | | | | | | |
| 8. CONTAMINATION 8. OF SURFACE WATER | | | · | | | | | | | |
| 9. DAMAGE TO PLORA/FAUNA | | | | | | | | | | |
| 10. FISH KILL | | | | | | | | | | |
| 11. CONTAMINATION OF AIR | | | | · | | | | | | |
| 12. NOTICEABLE ODORS | | | | | | | | | | |
| 18. CONTAMINATION OF SOIL | | | | | | | | | | |
| 14. PROPERTY DAMAGE | | | | | | | | | | |
| 16. FIRE OR EXPLOSION | | | | | | | | | | |
| 16. SPILLS/LEAKING CONTAINERS/ RUNOFF/STANDING LIQUIDS | | | | | | | | | | |
| 17. SEWER, STORM DRAIN PROBLEMS | | | | · | | | | | | |
| 18. EROSION PROBLEMS | | | | · | | | | | | |
| 19. INADEQUATE SECURITY | | | | | | | | | | |
| 20. INCOMPATIBLE WASTES | | | I | | | | | | | |
| 21. MIDNIGHT DUMPING | | | | | | | | | | |
| insufficient informatio | n to no | uido - L | المحمدة المحمد | | | | | | | |
| insufficient informatio | n to pro | viae a h | azara descri | ption | | | | | | |
| | | <u> </u> | | | | | | | | |

| Continued From Front | | | |
|-------------------------------|--|--|--|
| | | VII. PERMIT INFO | DRMATION |
| A. INDICATE ALL APPLICABLE PE | | | |
| _Unknown | | | |
| | PCC PLAN | 1. STATE PERMIT | (epecity): |
| 4. AIR PERMITS 5. LO | CAL PERMIT | 6. RCRA TRANSPO | DRTER |
| 7. RCRA STORER 8. RC | CRA TREATER 🔲 | 9. RCRA DISPOSE | a |
| 10. OTHER (specify): | | | |
| B. IN COMPLIANCE? | | | |
| 1. YES 2. NO | • <u>, </u> | 3. UNKNOWN | |
| 4. WITH RESPECT TO (Hat reg | ulation name & munbe | e): | |
| | VIII. | PAST REGULATO | RY ACTIONS |
| A. HONE | ES (summarize below | , | |
| Unknown | | | |
| OTIVITOWIL | | | <u>.</u> |
| | | | |
| | IX. INSPE | CTION ACTIVITY | (past or on-going) |
| A. NONE K. B. YE | ES (complete iteme 1, | 2,3, & 4 below) | |
| 1-TYPE OF ACTIVITY | 2. DATE OF PAST ACTION (mo., day, & yr.) | 3. PERFORMED BY: (EPA/State) | 4. DESCRIPTION |
| F:30 / | T | , | No additional information on this site |
| Files Search | Jan, 83 | . FIT | was found in TDWR files |
| | · | | |
| | 1 | | |
| | X. REM | EDIAL ACTIVITY | (past or on-going) |
| - A. NONE B. Y | ES (complete items 1, | 2,3, & 4 below) | Unknown |
| 1. TYPE OF ACTIVITY | 2. DATE OF PAST ACTION (mos, day, & yzs) | 1. PERFORMED BY: (EPA/State) | 4. DESCRIPTION |
| | T | | |

information on the first page of this form.

EPA Form T2070-2 (10-79)

NOTE: Based on the information in Sections III through X, fill out the Preliminary Assessment (Section II)